Ocean Monitoring Program 2007-08 Annual Report







ORANGE COUNTY SANITATION DISTRICT, CALIFORNIA



ORANGE COUNTY SANITATION DISTRICT



, February 27, 2009

10844 Ellis Avenue Fountain Valley, CA 92708-7018

Mailing Address P.O. Box 8127 Fountain Valley, CA 92728-8127

www.ocsd.com

Phone (714) 962-2411

Fax (714) 962-0356

Serving

Anaheim

Brea

Buene Park

Cypress

Fountain Valley

Fullerton

Garden Grove

Huntington Beach

Irvine

La Habra

La Palma

Los Alamitos

Newport Beach

Orange

Placentia

Santa Ana

Seal Beach

Stanton

Tustin

Villa Park

Yorba Linda

Costa Mesa Sanitary District

Midway City Sanitary District

Irvine Ranch Water District

County of Orange

Gerard J. Thibeault, Executive Officer
California Regional Water Quality Control Board
Santa Ana Region 8
3737 Main Street, Suite 500
Riverside, CA 92501-3339

SUBJECT: Board Order No. R8-2004-0062, NPDES Permit No. CA0110604

2007-08 Marine Monitoring Annual Report

Enclosed is the Orange County Sanitation District's 2007-08 Marine Monitoring Report, which focuses on the findings and conclusions for the period July 1, 2007 to June 30, 2008. The overall conclusions reached are consistent with previous reports, which document that the disposal of our treated and disinfected effluent into coastal marine waters continues to protect the environment and human health.

The results of the 2007-08 monitoring effort were consistent with previous years, showing limited and minimal changes in the receiving water and sediment. Plume-related changes in temperature, salinity, dissolved oxygen, pH, and transmissivity beyond the Zone of Initial Dilution (ZID) were well within the range of natural variability, and compliance with numeric receiving water criteria was achieved over 90% of the time. Low concentrations of bacteria in water contact zones, together with the limited distributions of ammonia, suggest that the wastewater discharge has had no discernable impact on the environment. This was reflected in the healthy and diverse infaunal, fish, and macroinvertebrate communities seen in the monitoring area outside the ZID. The low levels of contaminants in fish tissues and the low incidents of external abnormalities and diseases in fish populations demonstrated that the outfall was not an epicenter of disease. Consequently, our ocean monitoring program continues to demonstrate that the study area has not been degraded by the District's wastewater discharge.

Should you have questions regarding the information provided in this report, or wish to meet with District's staff to discuss any other ocean monitoring report, please feel free to contact me at (714) 593-7080. However, you may also contact Dean Pasko, the supervisor of our ocean monitoring program, who may be reached at (714) 593-7535 or at dpasko@ocsd.com.

Edward M. Torres

Director of Technical Services

ET:pli

N:\Lab\LAB\JONK\LETTERS_OMP_2009\OCSD 2007-08 Annual Report Cover Letter.doc

Enclosure

c: Wayne Nastri, U.S. EPA, Region IX



February 24, 2009

Certification Statement

The following certification satisfies Section A.10 and A.15 of the Orange County Sanitation District's Monitoring and Reporting Program No. R8-2004-0062, NPDES No. CA0110604, for the submittal of the attached OCSD Annual Report 2008 – Marine Monitoring.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for known violations.

Edward M. Torres

Director of Technical Services

Date

MJM:pli

N:\Lab\LAB\JONK\LETTERS_OMP_2009\OCSD 2007-08 Marine Annual Report Certification Statement.doc

ANNUAL REPORT 2008

MARINE MONITORING

Orange County Sanitation District 10844 Ellis Avenue Fountain Valley, CA 92728-8127 (714) 962-2411

	page
Letter of Transmittal	
Certification Statement	
Table of Contents	
List of Tables	V
List of Figures	х
List of Abbreviations, Acronyms, and Conversions	xv
Acknowledgements	XX
EXECUTIVE SUMMARY	ES.1
Chapter 1 - THE OCEAN MONITORING PROGRAM	
INTRODUCTION	1.1
DESCRIPTION OF THE DISTRICT'S OPERATIONS	1.4
REGULATORY SETTING FOR THE OCEAN MONITORING PROGRAM	1.6
ENVIRONMENTAL SETTING	1.10
REFERENCES	1.12
Chapter 2 - COMPLIANCE DETERMINATIONS	
INTRODUCTION	2.1
RESULTS AND DISCUSSION Bacterial Criteria Physical Criteria Chemical Criteria Biological Criteria Radioactivity	2.1 2.1 2.4 2.5 2.9 2.10
CONCLUSIONS	2.10
REFERENCES	2.11
Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY	
INTRODUCTION	3.1
METHODS	3.5

CONTENTS

	page
RESULTS AND DISCUSSION Physical Oceanographic Conditions Regional Water Quality Conditions Local Water Quality Conditions	3.5 3.5 3.7 3.16
CONCLUSIONS	3.34
REFERENCES	3.39
Chapter 4 - SEDIMENT GEOCHEMISTRY	
INTRODUCTION	4.1
METHODS	4.2
RESULTS AND DISCUSSION Spatial Analysis Long Term Trend Analysis	4.4 4.5 4.14
CONCLUSIONS	4.24
REFERENCES	4.25
Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES	
INTRODUCTION	5.1
METHODS	5.3
RESULTS AND DISCUSSION Community Indicators Diversity Indices Infaunal Trophic Index and Benthic Response Index Temporal (long-term) Trend Analysis Indicator Species Spatial Analysis	5.4 5.4 5.9 5.13 5.15 5.21 5.25
CONCLUSIONS	5.30
REFERENCES	5.31
Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH	
INTRODUCTION	6.1
METHODS Field Methods Data Analysis	6.2 6.2 6.4

CONTENTS

	page
RESULTS AND DISCUSSION Fish Community EMI Community Fish Tissue Contaminants Parasites, Abnormalities, and Liver Pathologies	6.5 6.5 6.15 6.26 6.32
CONCLUSIONS	6.33
REFERENCES	6.34
Appendix A - DETAILED METHODS	
INTRODUCTION	A.1
WATER QUALITY COMPLIANCE Data Analysis	A.1 A.1
COASTAL OCEANOGRAPHY Teledyne RD Instruments Workhorse Acoustic Doppler Current Profiler (ADCP)	A.8 A.8
WATER QUALITY MONITORING Field Methods Data Analysis	A.11 A.11 A.13
BACTERIOLOGY Field Methods Laboratory Methods Data Analyses	A.13 A.13 A.14 A.14
SEDIMENT GEOCHEMISTRY Field Methods Laboratory Methods Data Analyses	A.15 A.15 A.15 A.15
BENTHIC INFAUNA Field Methods Laboratory Methods Data Analyses	A.20 A.20 A.20 A.20
DEMERSAL FISH COMMUNITIES Field Methods Laboratory Methods Data Analyses	A.22 A.22 A.23 A.23
FISH TISSUE CONTAMINANTS Field Methods Laboratory Methods Data Analyses	A.24 A.24 A.24 A.26
FISH HEALTH Field Methods Laboratory Methods	A.26 A.26 A.26

CONTENTS

	page
FISH HISTOPATHOLOGY Field Methods Laboratory Methods	A.26 A.26 A.27
REFERENCES	A.28
Appendix B - SUPPORTING DATA	B.1
Appendix C - QUALITY ASSURANCE /QUALITY COTROL	
INTRODUCTION	C.1
WATER QUALITY NARRATIVE	C.3
SEDIMENT CHEMISTRY NARRATIVE First Quarter (July 2006) Second Quarter (October 2006) Third Quarter (January 2007) Fourth Quarter (April 2007)	C.9 C.9 C.11 C.12 C.13
FISH TISSUE CHEMISTRY NARRATIVE First Quarter (July 2006)	C.34 C.34
BENTHIC INFAUNA NARRATIVE Sorting and Taxonomy QA/QC	C.45 C.45
OTTER TRAWL NARRATIVE	C.48
REFERENCES	C.61

page

Chapter 1 - THE OCEAN MONITORING PROGRAM

No Tables.

Chapter 2 -	COMPLIANCE	DETERMINA	TIONS
-------------	-------------------	------------------	-------

Chapter 2 -	COMILIANCE DETERMINATIONS	
Table 2-1.	Listing of compliance criteria from NPDES ocean discharge permit (Order No. R8-2004-0062, Permit # CAO110604) and compliance status for each criterion in 2007-08.	2.2
Table 2-2.	Summary of water quality compliance testing results for dissolved oxygen, pH, and transmissivity for 2007-08.	2.6
Chapter 3 -	COASTAL OCEANOGRAPHY AND WATER QUALITY	
Table 3-1.	Ranges of values for water quality parameters during 2007-08.	3.24
Chapter 4 -	SEDIMENT GEOCHEMISTRY	
Table 4-1.	Average annual concentrations of sediment organic contaminants ($\mu g/kg$) compared to Effects Range–Low (ERL) and Effects Range–Median (ERM) values (Long et al. 1995), and measurements of sediment physical characteristics at the District's quarterly stations in 2007-08.	4.7
Table 4-2.	Average annual concentrations of sediment metals (mg/kg) at the District's quarterly stations in 2007-08 compared with Effects Range–Low (ERL) and Effects Range–Median (ERM) values (Long et al. 1995).	4.14
Table 4-3.	Sediment toxicity test results for January 2008. Whole-sediment (amphipod) test results given as test sediment percent difference from home sediment.	4.15
Table 4-4.	Mean ERMq Values for sediment contaminant concentrations: 2007-08.	4.15
Chapter 5 -	MACROBENTHIC INVERTEBRATE COMMUNITIES	
Table 5-1.	Summary of total and average (number/sample) number of species and abundance for major taxa collected at quarterly and annual stations, 2007-08 compared to 2006-07 values.	5.5
Table 5-2.	Summary of infaunal community measures for all stations, Summer 2007 annual survey sorted by depth group.	5.6
Table 5-3.	Station means for community measures and diversity indices for quarterly 60 m stations in 2007-08, n=12.	5.10
Table 5-4.	Results of ANOVA-Tukey analyses of community measures of infaunal organisms for quarterly stations during July 2007–April 2008.	5.11

		page
Table 5-5.	Results of ANOVA-Tukey analyses of selected indicator species at quarterly stations during, July 2007–April 2008.	5.23
Table 5-6.	Percent taxa in each station cluster.	5.25
Chapter 6 -	TRAWL COMMUNITIES AND ORGANISM HEALTH	
Table 6-1.	Summary of demersal fish species collected during the Summer (July 2007) and Winter (January 2008) surveys. Data for each species are expressed as total abundance (Total), percent abundance (PA), frequency of occurrence (FO), and mean abundance per haul (MAH).	6.6
Table 6-2.	Total number of species and abundance of demersal fish by family collected during the Summer (July 2007) and Winter (January 2008) surveys.	6.7
Table 6-3.	Results of ANOVA-Tukey analyses of demersal fish community measures for 55-m trawl stations, during Summer (July 2007) and Winter (January 2008).	6.9
Table 6-4.	Results of ANOVA-Tukey analyses on mean abundance of selected demersal fish and epibenthic macroinvertebrate species for 55-m trawl stations, during Summer (July 2007) and Winter (January 2008).	6.12
Table 6-5.	Summary of epibenthic macroinvertebrates species collected during the Summer (July 2007) and Winter (January 2008) surveys. Data for each species are expressed as total abundance (Total), percent abundance (PA), frequency of occurrence (FO), and mean abundance per haul (MAH).	6.18
Table 6-6.	Results of ANOVA-Tukey analyses of epibenthic macroinvertebrate community measures for 55-m trawl stations, during Summer (July) 2007 and Winter (January 2008).	6.21
Appendix A	A – DETAILED METHODS	
Table A-1.	OCSD ocean monitoring program station locations.	A.2
Table A-2	Deployment summary for District's acoustic Doppler current profilers.	A.9
Table A-3.	Water quality sample collection and analysis methods by parameter.	A.12
Table A-4.	Sediment sampling summary.	A.16
Table A-5.	Sediment handling and analysis summary.	A.17
Table A-6.	Parameters measured in sediments.	A.18
Table A-7.	Benthic infauna sampling summary.	A.21
Table A-8	Parameters measured in fish tissue	A 25

		page
Appendix E	B - SUPPORTING DATA	
Table B-1.	Comparison of surfzone total coliform bacterial data to the 30-day median California Ocean Plan benchmark, July 2007 through June 2008.	B.1
Table B-2.	Comparison of surfzone total coliform bacterial data to the 30-day 20% California Ocean Plan benchmark, July 2007 through June 2008.	B.2
Table B-3.	Comparison of surfzone fecal coliform bacterial data to the monthly geometric mean California Ocean Plan benchmark, July 2007 through June 2008.	B.3
Table B-4.	Comparison of surfzone fecal coliform bacterial data to the 60-day 10% California Ocean Plan benchmark*, July 2007 through June 2008.	B.4
Table B-5.	Comparison of surfzone enterococci bacteria data to the 30-day geometric mean California Ocean Plan benchmark, July 2007 through June 2008.	B.5
Table B-6.	Comparison of surfzone enterococci bacteria data to the six-month geometric mean California Ocean Plan benchmark, July 2007 through June 2008.	B.6
Table B-7.	Total coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2007 through June 2008.	B.7
Table B-8.	Fecal coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2007 through June 2008.	B.8
Table B-9.	Enterococci bacteria (MPN/100 mL) collected in offshore waters, July 2007 through June 2008.	B.9
Table B-10.	Comparison of surfzone particulate grease data, July 2007 through June 2008.	B.10
Table B-11.	Summary of floatable material by station group (station) observed during 29-station grid water quality surveys, July 2007 through June 2008.	B.11
Table B-12.	Summary of floatable material by station group (station) observed during REC-1 water quality surveys, July 2007 through June 2008.	B.11
Table B-13.	Average annual concentrations of sediment organic contaminants ($\mu g/kg$) compared to Effects Range – Low (ERL) and Effects Range – Median (ERM) values (Long et al. 1995), and measurements of sediment physical characteristics at the District's annual stations in 2007-08.	B.12
Table B-14.	Average annual concentrations of sediment metals (mg/kg) at the District's annual stations in 2007-08 compared with Effects Range-Low (ERL) and Effects Range-Median (ERM) values (Long et al. 1995).	B.14
Table B-15.	Total abundance of demersal fish by family sampled in Summer (July 2007) and Winter (January 2008).	B.15
Table B-16.	Mean community indices and diversity indices values for demersal fish by station and season.	B.18
Table B-17.	Total abundance of epibenthic macroinvertebrates by species and station sampled in Summer (July 2007) and Winter (January 2008).	B.19

		page
Table B-18.	Mean community indices and diversity indices values for epibenthic macroinvertebrates by station and season.	B.21
Table B-19.	Results of outfall tissue contaminant analysis. Results given as mean values for fish collected at outfall (OF) and farfield (FF) station groups.	B.22
Table B-20.	Major histopathological observations for specimens collected in Summer (August 2005) and Winter (January 2006).	B.23
Appendix C	- QUALITY ASSURANCE/ QUALITY CONTROL	
Table C-1.	Ocean monitoring program sample collection - percent completion, July 2007–June 2008.	C.2
Table C-2.	Water quality ammonia QA/QC summary, July 2007–June 2008.	C.5
Table C-3.	Method detection levels for PAH and LAB compounds in sediments, July 2007–June 2008.	C.14
Table C-4.	Acceptance criteria for standard reference materials of PAHs in sediments, July 2007–June 2008.	C.15
Table C-5.	Sediment PAH/LAB QA/QC summary, July 2007–June 2008.	C.16
Table C-6.	Method detection levels for PCB congeners and pesticides in sediments, July 2007–June 2008.	C.19
Table C-7.	Acceptance criteria for standard reference materials of pesticides/PCBs in sediments, July 2007–June 2008.	C.20
Table C-8.	Sediment PCB/pesticide QA/QC summary, July 2007–June 2008.	C.21
Table C-9.	Method detection limits for trace metals in sediments, July 2007–June 2008.	C.25
Table C-10.	Acceptance criteria for standard reference materials of metals in sediments, July 2007–June 2008.	C.25
Table C-11.	Sediment metals QA/QC summary, July 2007–June 2008.	C.26
Table C-12.	Method detection limits for dissolved sulfides, total organic carbon, and grain size in sediments, July 2007–June 2008.	C.31
Table C-13.	Sediment dissolved sulfides QA/QC summary, July 2007–June 2008.	C.32
Table C-14.	Sediment total organic carbon QA/QC summary, July 2007–June 2008.	C.33
Table C-15.	Sediment grain size QA/QC summary, July 2007–June 2008.	C.33
Table C-16.	Method detection levels for pesticides and PCB congeners in fish tissue, July 2007–June 2008.	C.36
Table C-17.	Acceptance criteria for standard reference materials of PCB congeners in fish tissue,	C 37

TABLES

		page
Table C-18.	Acceptance criteria for standard reference materials of pesticides and PCB congeners in fish tissue, SRM-1946, July 2007–June 2008.	C.37
Table C-19.	Fish tissue PCB/pesticide QA/QC summary, July 2007–June 2008.	C.38
Table C-20.	Fish tissue percent lipid QA/QC summary, July 2007–June 2008.	C.42
Table C-21.	Method detection levels for mercury in fish tissue, July 2007–June 2008.	C.42
Table C-22.	Acceptance criteria for standard reference materials of mercury in fish tissue, July 2007–June 2008.	C.42
Table C-23.	Fish tissue mercury QA/QC summary, July 2007–June 2008.	C.43
Table C-24.	Resolution code counts and percents for year 23, July 2007, October 2007, and January 2008 taxonomic QA data.	C.47
Table C-25.	Districts quality assurance objectives for trawl sampling, July 2007–June 2008.	C.48
Table C-26.	Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, July 2007.	C.49
Table C-27.	Trawl depth QA, July 2007.	C.51
Table C-28.	Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, January 2008.	C.55
Table C-29.	Trawl depth QA, January 2008.	C.57

		page
Chapter 1 -	THE OCEAN MONITORING PROGRAM	
Figure 1-1.	Regional setting for the District's ocean monitoring program.	1.2
Figure 1-2.	Annual (a) and monthly (b) beach attendance for Huntington Beach and Newport Beach. Annual values represent from July 1 to June 30 of each year. Solid black line on each plot represents record mean value.	1.3
Figure 1-3.	Daily counts (MPN/100 mL) and 30-day geometric means for (a) total coliform bacteria, (b) fecal coliform bacteria, and (c) enterococcus bacteria measured in the District's final effluent from July 1, 2002 to June 30, 2008. Operational goals are 180,000 MPN/100 mL, 36,000 MPN/100 mL, and 6,300 MPN/100 mL, respectively.	1.5
Figure 1-4.	Annual total (a) and monthly mean (b) rainfall for Newport Harbor, California with annual mean flow (c) and monthly mean flow (d) for the Santa Ana River. Annual values represent from July 1 to June 30 of each year. Solid blue line on each plot represents record mean value.	1.7
Figure 1-5.	Trends in the District's effluent flow compared to Orange County population and selected effluent constituent discharges to the San Pedro shelf region, 1975–2008.	1.8
Chapter 2 -	COMPLIANCE DETERMINATIONS	
Figure 2-1.	Sampling Locations for Shoreline Monitoring Stations, 2007-08.	2.3
Chapter 3 -	COASTAL OCEANOGRAPHY AND WATER QUALITY	
Figure 3-1.	Water quality monitoring and current meter stations for 2007-08.	3.3
Figure 3-2.	Sampling locations for regional (central bight) water quality monitoring program.	3.4
Figure 3-3.	Bottom temperature and current data by depth for mooring M-18, July 2007–June 2008.	3.6
Figure 3-4.	Average current speed and direction by depth for mooring M-18, July 2007–June 2008.	3.8
Figure 3-5.	Mooring M-18 thermistor string temperature plot, from February 10, 2008 to July 6, 2008.	3.9
Figure 3-6.	Multivariate El Niño southern oscillation (ENSO) index indicating El Niño and La Niña events (less than and greater than an index of +1 and -1, respectively), 1965–2008.	3.10
Figure 3-7.	TENSO index compared to average quarterly offshore water temperature (°C) at Stations 2406, 2354, 2306, 2226, 2206, 2186, 2106.	3.11
Figure 3-8.	Upwelling anomaly index indicating upwelling events, 1946–2008.	3.12
Figure 3-9.	Smoothed daily upwelling index values at 33° N 119° W from February 2007 through July 2008.	3.13

		page
Figure 3-10.	Seasonal patterns of temperature (°C) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008) for the central bight water quality grid.	3.14
Figure 3-11.	Seasonal patterns of salinity (psu) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008) for the central bight water quality grid.	3.15
Figure 3-12.	Seasonal patterns of dissolved oxygen (mg/L) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008) for the central bight water quality grid.	3.17
Figure 3-13.	Seasonal patterns of chlorophyll- a (µg/L) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008) for the central bight water quality grid.	3.18
Figure 3-14.	Temperature (°C), salinity (psu), and color dissolved organic matter (CDOM, μ g/L) for Summer 2007 (August 28th, 29th, and 30th).	3.19
Figure 3-15.	Temperature (°C), salinity (psu), and color dissolved organic matter (CDOM, μ g/L) for Fall 2007 (November 5th, 7th, and 8th).	3.20
Figure 3-16.	Temperature (°C), salinity (psu), and color dissolved organic matter (CDOM, $\mu g/L$) for Winter 2008 (February 6th, 7th, and 11th).	3.21
Figure 3-17.	Temperature (°C), salinity (psu), and color dissolved organic matter (CDOM, $\mu g/L$) for Spring 2008 (May 5th, 6th, and 8th).	3.22
Figure 3-18.	Thermocline depth for Summer 2007 (August 28, 29, 30), Fall 2007 (November 5, 7, 8), Winter 2008 (February 6, 7, 11), and Spring 2008 (May 5, 6, 8).	3.23
Figure 3-19.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll-a (μ g/L), light transmission (%), and pH for August 28, 2007.	3.26
Figure 3-20.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll-a (μ g/L), light transmission (%), and pH for November 7, 2007.	3.27
Figure 3-21.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll-a (μ g/L), light transmission (%), and pH for February 7, 2008.	3.28
Figure 3-22.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll-a (μ g/L), light transmission (%), and pH for May 5, 2008.	3.29
Figure 3-23.	Mean secchi depth and water color patterns by season, Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008).	3.31
Figure 3-24.	Quarterly average chlorophyll-a fluorescence (red) and photosynthetically active radiation (blue) with depth for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008).	3.32
Figure 3-25.	Seasonal patterns of ammonia (mg/L) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008).	3.35
Figure 3-26.	Seasonal patterns of total coliform bacteria (MPN) for Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008).	3.36

page

		1- 3-
Chapter 4	- SEDIMENT GEOCHEMISTRY	
Figure 4-1.	Sediment geochemistry sampling stations for annual (blue) and quarterly (red) surveys, 2007-08.	4.3
Figure 4-2.	Spatial distributions of median grain size (phi) and fine sediments (% less than 62 micron diameter) during July 2007.	4.6
Figure 4-3.	Spatial distributions of total organic carbon (TOC, %) and total linear alkyl benzenes (tLAB) during July 2007.	4.8
Figure 4-4.	Spatial distributions of dissolved sulfides concentrations (mg/kg) and total polycyclic aromatic hydrocarbons (tPAH) concentrations (ug/kg) during July 2007.	4.10
Figure 4-5.	Spatial distributions of total DDT (tDDT) and total PCB (tPCB) concentrations (ug/kg) during July 2007.	4.11
Figure 4-6.	Spatial distributions of copper (mg/kg) and cadmium (mg/kg) during July 2007.	4.13
Figure 4-7.	Changes Over Time of RMANOVA Values for total DDT, total PCB, total PAH, median phi, % fines, sulfides1, total organic carbon, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc in sediments at the 60 m shelf station groups during 1998 - 2008.	4.17
Chapter 5	- MACROBENTHIC INVERTEBRATE COMMUNITIES	
Figure 5-1.	Benthic infauna sampling stations for annual (blue) and quarterly (red) surveys, 2007-08.	5.2
Figure 5-2.	Spatial contours of (a) number of species and (b) abundance during July 2007.	5.8
Figure 5-3.	Spatial contours of (a) Shannon-Wiener diversity (H') and (b) Margalef species richness (SR) during July 2007.	5.12
Figure 5-4.	Spatial contours of (a) 75% Dominance, and (b) Species Evenness (J') during July 2007.	5.14
Figure 5-5.	Spatial contours of (a) infaunal trophic index (ITI) and (b) benthic response index (BRI) during July 2007.	5.16
Figure 5-6.	Annual mean values for benthic infauna parameters for the period 1985–2008: No. of species, abundance, biomass, Shannon-Wiener diversity (H'), Margalef species richness (SR), 75% dominance (DOM75), species evenness (J'), infaunal trophic index (ITI), and benthic response index (BRI).	5.17
Figure 5-7.	Spatial contours of abundance of (a) Euphilomedes carcharodonta, (b) Capitella "capitata" complex, and (c) Parvilucina tenuisculpta during July 2007.	5.22
Figure 5-8.	Spatial contours of abundance for (a) <i>Amphiodia urtica</i> and (b) selected amphipods during July 2007.	5.24

		page
Figure 5-9.	Summary of cluster analysis and relationships among stations and infaunal species groups for July 2007.	5.26
Figure 5-10.	Map of station groups from cluster analysis for July 2007.	5.27
Figure 5-11.	Non-metric multi-dimensional scaling (MDS) station plot with cluster analysis overlay. Station symbols correspond to cluster analysis station groupings (group numbers).	5.28
Chapter 6 -	TRAWL COMMUNITIES AND ORGANISM HEALTH	
Figure 6-1.	Otter trawl stations for semi-annual surveys, 2007-08.	6.3
Figure 6-2.	Mean number of species, number of individuals (abundance), and biomass of demersal fish collected during the Summer (July 2007) and Winter (January 2008) surveys.	6.8
Figure 6-3.	Mean number of fish species, abundance, and biomass per station group for the period 1985–2008. Station groups are farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14).	6.10
Figure 6-4.	Mean abundance from 1985 to 2008 by station group — farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14), of the 2007-08 most abundant demersal fish species: Pacific sanddab (<i>Citharichthys sordidus</i>), yellowchin sculpin (<i>Icelinus quadriseriatus</i>), longspine combfish (<i>Zaniolepis latipinnis</i>), and English sole (<i>Parophrys vetulus</i>).	6.13
Figure 6-5.	Mean diversity indices — Shannon-Wiener (H'), Margalef species richness (SR), and 75% Dominance (DOM75) of demersal fish collected during the Summer (July 2007) and Winter (January 2008) surveys.	6.14
Figure 6-6.	Mean Fish Response Index (FRI) per station in 2007-08 and annual mean FRI for outfall Station T1 and farfield upcoast Station T11.	6.16
Figure 6-7.	Mean demersal fish number of species, abundance, biomass, and Shannon-Wiener diversity (H') at OCSD stations T1 and T11 in 1994, 1998, 2003, and 2007 and regional POTW and non-POTW stations from the 1994, 1998, and 2003 regional monitoring surveys. All data are for summer surveys only and error bars represent the range of values (minimum and maximum) for each station group per survey.	6.17
Figure 6-8.	Mean number of species, number of individuals (abundance), and biomass of epibenthic macroinvertebrates collected during the Summer (July 2007) and Winter (January 2008) surveys.	6.20
Figure 6-9.	Mean number of epibenthic macroinvertebrate species, abundance, and biomass per station group for the period 1985-2008. Station groups are farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14).	6.22
Figure 6-10.	Mean abundance from 1985 to 2008 by station group — farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14)] of the 2007-08 most abundant epibenthic macroinvertebrates: trailtip	

		page
	sea pen (<i>Acanthoptilum</i> sp.), brokenspine brittlestar (<i>Ophiura luetkenii</i>), ridgeback rock shrimp (<i>Sicyonia ingentis</i>), California blade barnacle (<i>Hamatoscalpellum californicum</i>), and yellow sea twig (<i>Thesea</i> sp.).	6.24
Figure 6-11.	Mean diversity indices — Shannon-Wiener (H'), Margalef Species Richness (SR), and 75% Dominance (DOM75) of epibenthic macroinvertebrates collected during the Summer (July 2007) and Winter (January 2008) surveys.	6.25
Figure 6-12.	Mean epibenthic macroinvertebrate number of species, abundance, biomass, and Shannon-Wiener diversity (H') at OCSD Stations T1 and T11 in 1994, 1998, 2003, and 2007 and regional POTW and non-POTW stations from the 1994, 1998, and 2003 regional monitoring surveys. All data are for summer surveys only and error bars represent the range of values (minimum and maximum) for each station group per survey.	6.27
Figure 6-13.	Mean concentrations of mercury, total DDT, total PCB, and total other pesticides (ug/kg wet weight) in Hornyhead Turbot (<i>Pleuronichthys verticalis</i>) muscle and liver tissues in July 2007.	6.28
Figure 6-14.	Mean concentrations of mercury, total DDT, total PCB, and total other pesticides (ug/kg wet weight) in English sole (<i>Parophrys vetulus</i>) muscle and liver tissues in July 2007.	6.29
Figure 6-15.	Mean concentrations of mercury, total DDT, total PCB, and total other pesticides (ug/kg wet weight) in Pacific sanddab (<i>Citharichthys sordidus</i>) whole body tissue for size class 0 [5-8 cm], size class 1 [9-13 cm], and size class 2 [14-16 cm] in July 2007.	6.30
Appendix A	- DETAILED METHODS	
Figure A-1.	Water quality monitoring stations and zones used for compliance determinations.	A.6
Figure A-2.	Timeline of deployment for the District's acoustic Doppler current profilers, bottom temperature sensors, and mid-water temperature sensors.	A.10
Appendix B	- SUPPORTING DATA	
Figure B-1.	Bottom temperature and current data by depth for mooring M-19, July 2007–June 2008.	B.24
Figure B-2.	Bottom temperature and current data by depth for mooring M-20, July 2007–June 2008.	B.25
Figure B-3.	Bottom temperature and current data by depth for mooring M-21, July 2007–June 2008.	B.26
Figure B-4.	Average current speed and direction by depth for mooring M-19, July 2007–June 2008.	B.27
Figure B-5.	Average current speed and direction by depth for mooring M-20, July 2007–June 2008.	B.28

		page
Figure B-6.	Quality Average current speed and direction by depth for mooring M-21, July 2007–June 2008.	B.29
Figure B-7.	Temperature (°C), salinity (psu), and color dissolved organic matter (CDOM, $\mu g/L$) for June 10, 2008.	B.30
Figure B-8.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (μ g/L), light transmission (%), and pH for August 29, 2007.	B.31
Figure B-9.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (µg/L), light transmission (%), and pH for August 30, 2007.	B.32
Figure B-10.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (μ g/L), light transmission (%), and pH for November 5, 2007.	B.33
Figure B-11.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (µg/L), light transmission (%), and pH for November 8, 2007.	B.34
Figure B-12.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (μ g/L), light transmission (%), and pH for February 6, 2008.	B.35
Figure B-13.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (μ g/L), light transmission (%), and pH for February 11, 2008.	B.36
Figure B-14.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (µg/L), light transmission (%), and pH for May 6, 2008.	B.37
Figure B-15.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (µg/L), light transmission (%), and pH for May 8, 2008.	B.38
Figure B-16.	Seasonal patterns of dissolved oxygen (mg/L), chlorophyll- a (μ g/L), light transmission (%), and pH for June 10, 2008.	B.39
Figure B-17.	Quarterly average chlorophyll-a fluorescence (red) and photosynthetically active radiation (blue) with depth for Station C2 during Summer (August 2007), Fall (November 2007), Winter (February 2008), and Spring (May 2008).	B.40
Figure B-18.	Average chlorophyll- <i>a</i> fluorescence and photosynthetically active radiation (PAR) with depth for Summer 2007.	B.41
Figure B-19.	Average chlorophyll-a fluorescence and photosynthetically active radiation (PAR) with depth for Fall 2007.	B.42
Figure B-20.	Average chlorophyll- <i>a</i> fluorescence and photosynthetically active radiation (PAR) with depth for Winter 2008.	B.43
Figure B-21.	Average chlorophyll-a fluorescence and photosynthetically active radiation (PAR) with depth for Spring 2008.	B.44
Figure B-22. Figure B-23.	Spatial distributions of group A metals (arsenic, beryllium, chromium, lead, nickel, and selenium) concentrations (mg/kg) in sediments during July 2007. Spatial distributions of group B metals (mercury, silver, and zinc) concentrations (mg/kg) in sediments during July 2007.	B.45 B.46

FIGURES

		page
Appendix C	- QUALITY ASSURANCE/ QUALITY CONTROL	
Figure C-1.	Quality assurance plots of distance to station for otter trawl hauls, July 2007.	C.50
Figure C-2.	Quality assurance plots of trawl duration per haul for otter trawl stations, July 2007.	C.53
Figure C-3.	Quality assurance plots of distance to station for otter trawl hauls, January 2008.	C.56
Figure C-4.	Quality assurance plots of trawl duration per haul for otter trawl stations, January 2008.	C.59

The following is a list of abbreviations and acronyms used in the Marine Monitoring Volume. A table of metric equivalents is included to allow conversions from metric to U.S. units.

acidity/alkalinity acoustic Doppler current profiler aluminum ammonium analysis of variance antimony arsenic accelerated solvent extractor balanced indigenous population base/neutral/acid Benthic Response Index beryllium	pH ADCP AI NH₄ [†] ANOVA Sb As ASE BIP BNA BRI Be
biochemical oxygen demand cadmium	BOD Cd
California Department of Health Services catch per unit effort	CDHS CPUE
centimeter	cm
chlorophyll-a	Chl-a
chromium	Cr
Clean Water Act	CWA
conductivity/temperature/depth	CTD
copper	Cu
cubic centimeter	cm ³
cubic meter	m^3
degree Celsius	°C
differential Global Positioning System	dGPS
dissolved oxygen	DO
dry weight	dry wt
effects range low	ERL
effects range medium	ERM
Environmental Compliance and Monitoring	ECM
Environmental Protection Agency	EPA
Environmental Sciences Laboratory	ESL
epibenthic macroinvertebrates	EMI
Effects Range-Low	ER-L
Effects Range-Medium	ER-M
flow injection mercury system	FIMS
foot	ft
foci of cellular alteration	FCA
Food and Drug Administration	FDA
gallon gallons per day	gal
gas chromatograph with dual electron capture detector	gpd GC/ECD/ECD
gas chromatograph with dual electron capture detector	GC/MS/MS
gas chromatography/mass spectrometry	GC/MS
Global Positioning System	GPS
gram	
greater than	g >
greater than or equal to	_
high-density polyethylene	≥ HDPE
inductively coupled emission spectroscopy	ICPES
inductively coupled mass spectroscopy	ICPMS

ABBREVIATIONS AND ACRONYMS

inch	in
Infaunal Trophic Index	iii ITI
iron	Fe
Joint Water Pollution Control Plant	JWPCP
kilogram	kg
kilometer	km
lead	Pb
less than	<
less than or equal to	<u><</u>
linear alkyl benzenes	LAB
liter	L
liters/day	_ L/day
magnesium sulfate	MgSO ₄
Margalef Species Richness	SR
mass emission rate	MER
mean	×
MEC Analytical Systems, Inc.	MEC
mercury	Hg
meter	m
method detection limit	MDL
metric tons per day	MT/day
metric tons per year	MT/yr
microgram	μg
micrograms per gram	μg/g
micrograms per kilogram	μg/kg
micrograms per liter	μg/L
mile	mi
milligram	mg
milligrams per kilogram	mg/kg
milligrams per kilogram	mg/L
milliliter	mL
millimeter	
	mm
million gallons per day	MGD
most probable number	MPN
nanogram	ng
nanograms per gram	ng/g
National Marine Fisheries Service	NMFS
National Oceanic and Atmospheric Administration	NOAA
National Pollutant Discharge Elimination System	NPDES
National Research Council	NRC
National Status and Trends	NS&T
nautical mile	nmi
nickel	Ni
not analyzed	NA
not applicable	N/A
not detected	ND
not significant	ns
oil and grease	O&G
Orange County Sanitation District	District or OCSD
Orange County Health Care Agency	OCHCA
Orange County Water District	OCWD
out-of-range occurrence	ORO
parts per billion	ppb
parts per million	ppm
parts per thousand	ppt
Factor For moderna	۲۳,

ABBREVIATIONS AND ACRONYMS

percent	%
plus or minus	±
polychlorinated biphenyls	PCB
polycyclic aromatic hydrocarbons	PAH
pound	lb
practical salinity unit	psu
probability	p
publicly owned treatment works	POTW
quality assurance	QA
quality control	QC
Quality Assurance Project Plan	QAPP
quality assurance/quality control	QA/QC
Regional Water Quality Control Board	RWQCB
repeated measures analysis of variance	RMANOVA RPD
relative percent difference	RP
remaining particulates Science Applications International Corporation	SAIC
Scripps Institution of Oceanography	SIO
second	sec or s
sediment quality triad	SQT
selenium	Se
Shannon-Wiener diversity index	H'
silver	Ag
Southern California Association of Marine Invertebrate Taxonomists	SČAMIT
Southern California Bight	SCB
Southern California Bight Pilot Project	SCBPP
Southern California Coastal Water Research Project	SCCWRP
Southern California Marine Institute	SCMI
species (singular)	sp
species (plural)	spp
Species Evenness	J'
square centimeter	cm ²
square kilometer	km ²
square meter	m ²
standard operating procedure	SOP
standard reference material	SRM
Statistical Analysis System	SAS SPS
Strategic Process Study Student-Newman-Keuls	SNK
thallium	TI
tons per year	tons/yr
total DDT	tDDT
total organic carbon	TOC
total polycyclic aromatic hydrocarbons	tPAH
total polychlorinated biphenyls	tPCB
total suspended solids	TSS
total volatile solids	TVS
U.S. Environmental Protection Agency	USEPA
U.S. Fish and Wildlife Service	USFWS
weight	wt
wet weight	wet wt
year	yr 7
zinc	Zn
zone of initial dilution	ZID

Metric System With U.S. Equivalents		
Metric Unit	U.S. Equivalent	
Length millimeter (mm) centimeter (cm) meter (m) kilometer (km) nautical mile (nm)	0.04 inches 0.39 inches 39.37 inches/3.28 ft 0.62 miles, 0.54 nm 1.151 miles	
Area square centimeter (cm²) square meter (m²) sq. kilometer (km²)	0.155 sq. inches 1.196 sq. yards 0.3861 sq. miles	
Weight milligram (mg) gram (g) kilogram (kg) metric ton (MT)	0.015 grains 0.035 ounces 2.2046 pounds 1.1 tons	
Volume cubic centimeter (cm³) cubic meter (m³) liter (L)	0.061 cubic inches 1.31 cubic yards 0.2642 gallons	
Capacity, Cubic milliliter (mL) liter (L) kiloliter (kL)	0.06 cubic inches 61.02 cubic inches 1.31 cubic yards	
Temperature °C (Centigrade)	(9/5)(°C) + 32 = °F (Farenheit)	
Speed meters per second (m/s) nautical mile per hour (knot)	2.237 miles per hour (mph) 1.151 miles per hour (mph)	

The following individuals are acknowledged for their contributions to the Marine Monitoring Volume of the Annual Report:

Orange County Sanitation District Management:

Ed Torres	. Director of Technical Services
Sam Mowbray	. Environmental Services Laboratory Division
•	Manager
Dean Pasko	. Ocean Monitoring Program Supervisor

Primary Scientific Contributors:

Orange County Sanitation	District:
Coorgo Pobortoon	

George Robertson	
Michael Mengel	5 1
	Laboratory Supervisor, Chemist
Hai Nguyen	Biologist Senior Environmental Specialist, Data Management, Data Analysis
Fred O'Brien Ken Sakamoto Christina Thomas	Boat Captain, Marine Biologist Senior Environmental Specialist, Biologist

NewFields Northwest:

Susie Watts Data Management, Analysis, and Graphics

Production Staff:

Orange County Sanitation District:

Michael Mengel Editor, Graphics

Dionne Kardos Communications Specialist

Sean Chou Xerographic Services

Field and Laboratory Staff:

Orange County Sanitation District:

Miriam Angold, Jeff Armstrong, Ph. D., Jim Campbell, Kim Christensen, Arturo Diaz, Linda Kirchner, Laura Terriquez, Joe Manzella, Mike McCarthy, Charles McGee, Lori McKinley, Ryan McMullin, Mike Mengel, Donna Min, Dawn Myers, Canh Nguyen, Hai Nguyen, Thomas Nguyen, Fred O'Brien, Kim Patton, Vanh Phonsiri, Anthony Pimental, Tony Pira, George Robertson, Ernie Ruckman, Ken Sakamoto, Christina Thomas, Yu-Li Tsai, Amy Valencia, Mike von Winklemann, and Norman Whiteman.

Osprey Marine Management Tom Gerlinger

M/V Nerissa

Fred O'Brien Tom Pesich

Weston Solutions Inc.:

Carrie Burleson, Sally Hawkins, Sheila Holt, John Ljubenkov, Dean Pasko, Yat-Long Poon, Olga Weaver, and Satomi Yonemasu.

ORANGE COUNTY SANITATION DISTRICT 10844 Ellis Avenue Fountain Valley, California 92708-7018 (714) 962-2411

www.ocsd.com

2/09