


Ocean Monitoring 2008-09 Annual Report

ORANGE COUNTY SANITATION DISTRICT, CALIFORNIA





ORANGE COUNTY SANITATION DISTRICT

February 17, 2010

10844 Ellis Avenue
Fountain Valley, CA
92708-7018

Mailing Address
P.O. Box 8127
Fountain Valley, CA
92728-8127

www.ocsd.com

Phone
(714) 962-2411

Fax
(714) 962-0356

Serving

Anaheim
Brea
Buena Park
Cypress
Fountain Valley
Fullerton
Garden Grove
Huntington Beach
Irvine
La Habra
La Palma
Los Alamitos
Newport Beach
Orange
Placentia
Santa Ana
Seal Beach
Stanton
Tustin
Villa Park
Yorba Linda
Costa Mesa
Sanitary District
Midway City
Sanitary District
Irvine Ranch
Water District
County of Orange

Gerard J. Thibeault, Executive Officer
California Regional Water Quality Control Board
Santa Ana Region 8
3737 Main Street, Suite 500
Riverside, CA 92501-3339

SUBJECT: Board Order No. R8-2004-0062, NPDES Permit No. CA0110604
2008-09 Marine Monitoring Annual Report

Enclosed is the Orange County Sanitation District's 2008-09 Marine Monitoring Report, which focuses on the findings and conclusions for the period July 1, 2008 to June 30, 2009. The overall conclusions reached are consistent with previous reports, which document that the disposal of our treated and disinfected effluent into coastal marine waters continues to protect the environment and human health.

The results of the 2008-09 monitoring effort showed limited and minimal changes in the receiving water and sediment. Plume-related changes in temperature, salinity, dissolved oxygen, pH, and transmissivity beyond the Zone of Initial Dilution (ZID) were well within the range of natural variability, and compliance with numeric receiving water criteria was achieved over 90% of the time. Low concentrations of bacteria in water contact zones, together with the limited distributions of ammonia, suggest that the wastewater discharge has had no discernable impact on the environment. This was reflected in the healthy and diverse infaunal, fish, and macroinvertebrate communities seen in the monitoring area outside the ZID. The low levels of contaminants in fish tissues and the low incidents of external abnormalities and diseases in fish populations demonstrated that the outfall was not an epicenter of disease. Consequently, our ocean monitoring program continues to demonstrate that the receiving water has not been degraded by the District's wastewater discharge.

Should you have questions regarding the information provided in this report, or wish to meet with District's staff to discuss any other ocean monitoring report, please feel free to contact me at (714) 593-7080. However, you may also contact Dean Pasko, the supervisor of our ocean monitoring program, who may be reached at (714) 593-7535 or at dpasko@ocsd.com.

Edward M. Torres
Director of Technical Services

ET:JLA:plj
N:\Lab\LAB\JONK\LETTERS_OMP_2009\OCSD 2007-08 Annual Report Cover Letter.doc

Enclosure

c: Wayne Nastri, U.S. EPA, Region IX



February 24, 2010

Certification Statement

The following certification satisfies Section A.10 and A.15 of the Orange County Sanitation District's Monitoring and Reporting Program No. R8-2004-0062, NPDES No. CA0110604, for the submittal of the attached OCSD Annual Report 2009 – Marine Monitoring.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for known violations.


Edward M. Torres, P.E.
Director of Technical Services

2/24/10
Date

JLA:plj

N:\Lab\LABJONK\LETTERS OMP 2010\OCSD 2008-09 Marine Annual Report Certification Statement - Final.docx

ANNUAL REPORT 2009

MARINE MONITORING

**Orange County Sanitation District
10844 Ellis Avenue
Fountain Valley, CA 92728-8127
(714) 962-2411**

	page
Letter of Transmittal	
Certification Statement	
Table of Contents	i
List of Tables	iv
List of Figures	viii
List of Abbreviations, Acronyms, and Conversions	xiii
Acknowledgements	xvii
EXECUTIVE SUMMARY	ES.1
Chapter 1 - THE OCEAN MONITORING PROGRAM	
INTRODUCTION	1.1
DESCRIPTION OF THE DISTRICT'S OPERATIONS	1.4
REGULATORY SETTING FOR THE OCEAN MONITORING PROGRAM	1.6
ENVIRONMENTAL SETTING	1.10
REFERENCES	1.12
Chapter 2 - COMPLIANCE DETERMINATIONS	
INTRODUCTION	2.1
RESULTS AND DISCUSSION	2.4
Bacterial Criteria	2.4
Physical Criteria	2.5
Chemical Criteria	2.5
Biological Criteria	2.9
Radioactivity	2.10
CONCLUSIONS	2.10
REFERENCES	2.11
Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY	
INTRODUCTION	3.1
METHODS	3.5
RESULTS AND DISCUSSION	3.6
Regional Water Quality Conditions	3.6
Local Water Quality Conditions	3.9
CONCLUSIONS	3.33
REFERENCES	3.38
Chapter 4 - SEDIMENT GEOCHEMISTRY	
INTRODUCTION	4.1
METHODS	4.2
RESULTS AND DISCUSSION	4.5
Spatial Analysis	4.5
Long Term (Temporal) Trend Analysis	4.18
CONCLUSIONS	4.26
REFERENCES	4.28
Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES	
INTRODUCTION	5.1
METHODS	5.3
RESULTS AND DISCUSSION	5.5
Taxa and Abundance	5.5
Community Indicators	5.5
Diversity Indices	5.11

	page
Infaunal Trophic Index and Benthic Response Index	5.13
Temporal (long-term) Trend Analysis	5.13
Indicator Species	5.17
Spatial Analysis	5.19
CONCLUSIONS	5.24
REFERENCES	5.25
Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH	
INTRODUCTION	6.1
METHODS	6.3
Field Methods	6.3
Data Analysis	6.4
RESULTS AND DISCUSSION	6.5
Fish Community	6.5
EMI Community	6.21
Fish Tissue Contaminants	6.27
Parasites, Abnormalities, and Liver Pathologies	6.38
CONCLUSIONS	6.38
REFERENCES	6.39
Appendix A - DETAILED METHODS	
INTRODUCTION	A.1
WATER QUALITY COMPLIANCE	A.1
Data Analysis	A.1
COASTAL OCEANOGRAPHY	A.9
Teledyne RD Instruments Workhorse Acoustic Doppler Current Profiler (ADCP)	A.9
WATER QUALITY MONITORING	A.11
Field Methods	A.11
Data Analysis	A.13
BACTERIOLOGY	A.13
Field Methods	A.13
Laboratory Methods	A.14
Data Analyses	A.14
SEDIMENT GEOCHEMISTRY	A.15
Field Methods	A.15
Laboratory Methods	A.15
Data Analyses	A.15
BENTHIC INFAUNA	A.20
Field Methods	A.20
Laboratory Methods	A.21
Data Analyses	A.21
DEMERSAL FISH COMMUNITIES	A.22
Field Methods	A.22
Laboratory Methods	A.23
Data Analyses	A.23
FISH TISSUE CONTAMINANTS	A.24
Field Methods	A.24
Laboratory Methods	A.24
Data Analyses	A.26
FISH HEALTH	A.26
Field Methods	A.26
Data Analyses	A.27
REFERENCES	A.28

	page
Appendix B - SUPPORTING DATA	B.1
Appendix C - QUALITY ASSURANCE /QUALITY COTROL	
INTRODUCTION	C.1
WATER QUALITY NARRATIVE	C.3
SEDIMENT CHEMISTRY NARRATIVE	C.8
First Quarter (July 2008)	C.8
Second Quarter (October 2008)	C.11
Third Quarter (January 2009)	C.11
Fourth Quarter (April 2009)	C.12
FISH TISSUE CHEMISTRY NARRATIVE	C.35
Third Quarter (January 2009)	C.35
BENTHIC INFAUNA NARRATIVE	C.47
Sorting and Taxonomy QA/QC	C.47
OTTER TRAWL NARRATIVE	C.50
REFERENCES	C.63

Chapter 1 - THE OCEAN MONITORING PROGRAM

No Tables.

Chapter 2 - COMPLIANCE DETERMINATIONS

Table 2-1.	Listing of compliance criteria from NPDES ocean discharge permit (Order No. R8-2004-0062, Permit # CAO110604) and compliance status for each criterion in 2008-09.	2.2
Table 2-2.	Summary of offshore water quality compliance testing results for dissolved oxygen, pH, and transmissivity for 2008-09.	2.6

Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY

Table 3-1.	Summary of quarterly water quality parameters by depth and season during 2008-09.	3.15
------------	-----------------------------------------------------------------------------------	------

Chapter 4 - SEDIMENT GEOCHEMISTRY

Table 4-1.	Average annual concentrations of sediment organic contaminants and measurements of sediment physical characteristics at the District's quarterly stations in 2008-09.	4.7
Table 4-2.	Average concentrations of sediment metals (mg/kg) at the District's quarterly stations in 2008-09.	4.15
Table 4-3.	Sediment toxicity test results for January 2009. Whole-sediment (amphipod) test results given as test sediment percent difference from home sediment.	4.27
Table 4-4.	Mean ERMq Values for sediment contaminant concentrations: 2008-09.	4.27

Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES

Table 5-1.	Major taxonomic groups by station depth and location within or outside the zone of initial dilution (ZID). Values represent the mean and (range) of values for stations within a depth range.	5.6
Table 5-2.	Summary of infaunal community measures for all stations, July 2008 annual survey sorted by depth.	5.7
Table 5-3.	Station means for community measures and diversity indices for quarterly 60 m stations in 2008-09 (n=12) compared to regional and historical values.	5.10
Table 5-4.	Percent of abundance by taxa for cluster analysis station groups.	5.19

Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH

Table 6-1.	Summary of demersal fish species collected during the summer (July 2008) and winter (January 2009) surveys. Data for each species are expressed as total abundance (Total), percent abundance (%A), percent frequency of occurrence (%FO), and mean abundance per haul (MAH).	6.6
Table 6-2.	Summary of demersal fish species and abundance by family for the summer (July 2008) and winter (January 2009) surveys.	6.8
Table 6-3.	Description of Inner, Middle, and Outer Shelf cluster groups defined in Figure 6-5. Data include number of hauls, species richness, mean total abundance, and mean abundance of the five most abundant species for each station group. Underlined values indicate species that were considered "characteristic" of that group according to SIMPER analyses (i.e., similarity/standard deviation >2.0).	6.14

	page	
Table 6-4.	Summary of epibenthic macroinvertebrates species collected during the summer (July 2008) and winter (January 2009) surveys. Data for each species are expressed as total abundance (Total), percent abundance (%A), frequency of occurrence (%FO), and mean abundance per haul (MAH).	6.22
Table 6-5.	Results of tissue contaminant analysis of trawl fish collected at outfall and farfield station groups.	6.30

Appendix A – DETAILED METHODS

Table A-1.	OCSO ocean monitoring program station positions (NAD 83) and nominal depths.	A.2
Table A-2.	Sampling dates during 2008-09.	A.7
Table A-3.	Deployment summary for District's acoustic Doppler current profilers for 2008-09.	A.10
Table A-4.	Water quality sample collection and analysis methods by parameter.	A.12
Table A-5.	Sediment composition and chemistry sampling summary.	A.16
Table A-6.	Sediment handling and analysis summary.	A.17
Table A-7.	Parameters measured in sediments.	A.18
Table A-8.	Benthic infauna sampling summary.	A.22
Table A-9.	Parameters measured in fish tissue.	A.25

Appendix B - SUPPORTING DATA

Table B-1.	Comparison of surfzone total coliform bacterial data to the 30-day median California Ocean Plan benchmark, July 2008 through June 2009.	B.1
Table B-2.	Comparison of surfzone total coliform bacterial data to the 30-day 10% California Ocean Plan benchmark, July 2008 through June 2009.	B.2
Table B-3.	Comparison of surfzone fecal coliform bacterial data to the monthly geometric mean California Ocean Plan benchmark, July 2008 through June 2009.	B.3
Table B-4.	Comparison of surfzone fecal coliform bacterial data to the 60-day 10% California Ocean Plan benchmark*, July 2008 through June 2009.	B.4
Table B-5.	Comparison of surfzone enterococci bacteria data to the 30-day geometric mean California Ocean Plan benchmark, July 2008 through June 2009.	B.5
Table B-6.	Comparison of surfzone enterococci bacteria data to the six-month geometric mean California Ocean Plan benchmark, July 2008 through June 2009.	B.6
Table B-7.	Total coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2008 through June 2009.	B.7
Table B-8.	Fecal coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2008 through June 2009.	B.8
Table B-9.	Enterococci bacteria (MPN/100 mL) collected in offshore waters, July 2008 through June 2009.	B.9
Table B-10.	Comparison of surfzone particulate grease data, July 2008 through June 2009.	B.10
Table B-11.	Summary of floatable material by station group (station) observed during 29-station grid water quality surveys, July 2008 through June 2009. Individual stations may have multiple types of debris.	B.11
Table B-12.	Summary of floatable material by station group (station) observed during REC-1 water quality surveys, July 2008 through June 2009. Individual stations may have multiple types of debris.	B.11
Table B-13.	Annual concentrations of sediment organic contaminants (µg/kg) compared to Effects Range–Low (ERL) and Effects Range–Median (ERM) values (Long et al. 1995), and measurements of sediment physical characteristics at the District's annual stations in 2008-09.	B.12
Table B-14.	Annual concentrations of sediment metals (mg/kg) at the District's annual stations in 2008-09 compared with Effects Range–Low (ERL) and Effects Range–Median (ERM) values (Long et al. 1995).	B.14

	page	
Table B-15.	Total abundance of demersal fish by family sampled in summer (July 2008) and winter (January 2009).	B.16
Table B-16.	Mean community indices and diversity indices values for demersal fish by station and season.	B.19
Table B-17.	Total abundance of epibenthic macroinvertebrates by species and station sampled in summer (July 2008) and winter (January 2009).	B.20
Table B-18.	Mean community indices and diversity indices values for epibenthic macroinvertebrates by station and season.	B.22

Appendix C - QUALITY ASSURANCE/ QUALITY CONTROL

Table C-1.	Ocean monitoring program sample collection requirements and percent completion, July 2008–June 2009.	C.2
Table C-2.	Water Quality Ammonium QA/QC Summary, July 2008–June 2009.	C.4
Table C-3.	Method detection levels for PAH and LAB compounds in sediments, July 2008–December 2008.	C.13
Table C-4.	Method detection levels for PAH and LAB compounds in sediments, January 2009–June 2009.	C.14
Table C-5.	Acceptance criteria for standard reference materials of PAHs in sediments, July 2008–June 2009.	C.15
Table C-6.	Sediment PAH/LAB QA/QC summary, July 2008–June 2009.	C.16
Table C-7.	Method detection levels for PCB congeners and pesticides in sediments using GC/MS/MS Ion Trap, July 2008–June 2009.	C.19
Table C-8.	Method detection levels for PCB congeners and pesticides in sediments using GC/MS DSQII, February 2008–June 2009.	C.20
Table C-9.	Acceptance criteria for standard reference materials of pesticides/PCBs in sediments, July 2008–June 2009.	C.21
Table C-10.	Sediment PCB/pesticide QA/QC summary, July 2008–June 2009.	C.22
Table C-11.	Reporting limits for trace metals in sediments, July 2008–June 2009.	C.25
Table C-12.	Acceptance criteria for standard reference materials of metals in sediments, July 2008–June 2009.	C.25
Table C-13.	Sediment metals QA/QC summary, July 2008–June 2009.	C.26
Table C-14.	Method detection limits for dissolved sulfides, total organic carbon, and grain size in sediments, July 2008–June 2009.	C.32
Table C-15.	Sediment dissolved sulfides QA/QC summary, July 2008–June 2009.	C.33
Table C-16.	Sediment total organic carbon QA/QC summary, July 2008–June 2009.	C.34
Table C-17.	Sediment grain size QA/QC summary, July 2008–June 2009.	C.34
Table C-18.	Method detection levels for pesticides and PCB congeners in fish tissue, GC/MS/MS Ion Trap, July 2008–June 2009.	C.37
Table C-19.	Method detection levels for pesticides and PCB congeners in fish tissue, GC/MS DSQII, February 2008–June 2009.	C.38
Table C-20.	Acceptance criteria for standard reference materials of PCB congeners in fish tissue, CARP-2, July 2008–June 2009.	C.39
Table C-21.	Acceptance criteria for standard reference materials of pesticides and PCB congeners in fish tissue, SRM-1946, July 2008–June 2009.	C.39
Table C-22.	Fish tissue PCB/pesticide QA/QC summary, July 2008–June 2009.	C.40
Table C-23.	Fish tissue percent lipid QA/QC summary, July 2008–June 2009.	C.44
Table C-24.	Method detection levels for mercury in fish tissue, July 2008–June 2009.	C.44
Table C-25.	Acceptance criteria for standard reference materials of mercury in fish tissue, July 2008–June 2009.	C.44
Table C-26.	Fish tissue mercury QA/QC summary, July 2008–June 2009.	C.45
Table C-27.	Resolution code counts and percents for July 2008, October 2008, and January 2009 taxonomic QA data.	C.49
Table C-28.	Districts quality assurance objectives for trawl sampling, July 2008–June 2009.	C.50

TABLES

	page
Table C-29. Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, July 2008.	C.51
Table C-30. 10% trawl depth QA, July 2008.	C.53
Table C-31. Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, January 2009.	C.57
Table C-32. 10% trawl depth QA, January 2009.	C.59

	page
Chapter 1 - THE OCEAN MONITORING PROGRAM	
Figure 1-1.	1.2
Figure 1-2.	1.3
Figure 1-3.	1.5
Figure 1-4.	1.7
Figure 1-5.	1.8
Chapter 2 - COMPLIANCE DETERMINATIONS	
Figure 2-1.	2.3
Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY	
Figure 3-1.	3.2
Figure 3-2.	3.3
Figure 3-3.	3.7
Figure 3-4.	3.8
Figure 3-5.	3.10
Figure 3-6.	3.11
Figure 3-7.	3.12
Figure 3-8.	3.13
Figure 3-9.	3.14
Figure 3-10.	3.19
Figure 3-11.	3.20

	page
Figure 3-12. Seasonal patterns of salinity (psu) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.21
Figure 3-13. Examples of plume-related salinity changes (circled in red) near the outfall on selected days for each quarter.	3.23
Figure 3-14. Seasonal patterns of dissolved oxygen (mg/L) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.24
Figure 3-15. Seasonal patterns of pH for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.25
Figure 3-16. Seasonal patterns of light transmission (%) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.26
Figure 3-17. Seasonal patterns of secchi depth (m) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19). Higher secchi values indicate clearer water.	3.27
Figure 3-18. Seasonal patterns of water color (Forel/Ule) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19). Lower water color values indicate clearer water.	3.28
Figure 3-19. Quarterly average chlorophyll-a fluorescence ($\mu\text{g/L}$; green line) and photosynthetically active radiation (PAR; $\mu\text{E}/(\text{cm}^2\text{-sec})$; blue line) with depth for Summer (August 2008), Fall (November 2008), Winter (February 2009), and Spring (May 2009). Red dashed line represents the 10 % light penetration level.	3.30
Figure 3-20. Comparisons of quarterly average depths (m) for 10% PAR, 1% PAR, and Secchi for Summer 2008, Fall 2008, Winter 2009, and Spring 2009.	3.31
Figure 3-21. Seasonal patterns of chlorophyll-a ($\mu\text{g/L}$) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.32
Figure 3-22. Seasonal patterns of ammonia (mg/L) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.34
Figure 3-23. Seasonal patterns of total coliforms (MPN/100mL) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19).	3.35

Chapter 4 - SEDIMENT GEOCHEMISTRY

Figure 4-1. Sediment geochemistry sampling stations for annual and quarterly surveys, 2008-09.	4.3
Figure 4-2. Spatial distributions of total linear alkyl benzenes (tLAB), median grain size (ϕ), and fine sediments (% less than 62 micron diameter) during July 2008.	4.6
Figure 4-3. Distribution of mean and standard deviation values for total LAB ($\mu\text{g/kg}$), median ϕ , fines (%), total organic carbon (%), dissolved sulfides (mg/kg), total PAH ($\mu\text{g/kg}$), total DDT ($\mu\text{g/kg}$), total pesticides ($\mu\text{g/kg}$), and total PCB ($\mu\text{g/kg}$) in sediments at the 60 m shelf stations during 2008-09.	4.8
Figure 4-4. Spatial distributions of total organic carbon (TOC), dissolved sulfides (mg/kg), and total polycyclic aromatic hydrocarbons ($\mu\text{g/kg}$) during July 2008.	4.10
Figure 4-5. Spatial distributions of total DDT (tDDT), total pesticides, and total PCB (tPCB) concentrations ($\mu\text{g/kg}$) during July 2008.	4.12
Figure 4-6. Spatial distributions of zinc (mg/kg) and mercury (mg/kg) during July 2008.	4.14
Figure 4-7. Distribution of mean and standard deviation values (mg/kg) for arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc in sediments at the 60 m shelf stations during 2008-09..	4.16

	page	
Figure 4-8.	Principal components analysis (PCA) station plot. Station symbols correspond to PCA station groupings (group numbers).	4.17
Figure 4-9.	Map of station groups from principal components analysis for July 2008.	4.19
Figure 4-10.	Changes over time for total DDT, total PCB, total PAH, median phi, % fines, sulfides ¹ , total organic carbon, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc in sediments at the 60 m shelf station groups during 1997–2009..	4.20
 Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES		
Figure 5-1.	Benthic infauna sampling stations for annual and quarterly surveys, 2008-09.	5.2
Figure 5-2.	Spatial distributions of number of species, abundance, Shannon-Wiener diversity (H'), and species evenness (J') during July 2008.	5.9
Figure 5-3.	Spatial distributions of infaunal trophic index (ITI) and benthic response index (BRI) during July 2008.	5.12
Figure 5-4.	Annual mean values for benthic infauna parameters for the period 1985–2009: No. of species, abundance, biomass, Shannon-Wiener diversity (H'), Margalef species richness (SR), Schwartz's 75% dominance, species evenness (J'), infaunal trophic index (ITI), and benthic response index (BRI).	5.14
Figure 5-5.	Spatial distribution of abundance of Euphilomedes carcharodonta, Capitella "capitata" complex, Amphiodia urtica, and selected amphipods during July 2008.	5.18
Figure 5-6.	Summary of cluster analysis and relationships among stations and infaunal species groups for July 2008.	5.20
Figure 5-7.	Map of station groups from cluster analysis for July 2008.	5.21
Figure 5-8.	Non-metric multi-dimensional scaling (MDS) station plot with cluster analysis overlay. Station symbols correspond to cluster analysis station groupings (group numbers).	5.22
 Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH		
Figure 6-1.	Otter trawl stations for semi-annual surveys, 2008-09.	6.2
Figure 6-2.	Mean and 95% confidence interval for number of species, number of individuals (abundance), and biomass of demersal fish collected during the summer (July 2008) and winter (January 2009) surveys. Only one sample was collected at stations T2, T6, T10, and T14 during the summer of 2008 (see methods).	6.9
Figure 6-3.	Comparison of demersal fish parameters by station groups: farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14). All data for mean number of species, abundance, and biomass by station group are for the period 1985–2009.	6.10
Figure 6-4.	Mean and 95% confidence interval for diversity indices — Shannon-Wiener Diversity Index (H'), Margalef Species Richness (SR), and Schwartz's 75% Dominance Index of demersal fish collected during the summer (July 2008) and winter (January 2009) surveys. Only one sample was collected at stations T2, T6, T10, and T14 during the summer of 2008 (see methods).	6.11
Figure 6-5.	Results of classification analysis of demersal fish assemblages collected during the summer (July 2008) and winter (January 2009) trawl surveys. Data are presented as a non-metric multi-dimensional scaling (MDS) ordination plot and a dendrogram of major station clusters: inner (36 m), middle (55 m) and outer (137 m) shelf. Stations-surveys are denoted by S for summer and W for winter.	6.13
Figure 6-6.	Two-dimensional MDS plots of square-root transformed species abundance data at 9 stations sampled in summer (July 2008) and winter (January 2009). Mean abundances per trawl for the dominant species in each cluster group are super-imposed as bubbles, where increased size represents greater abundance.	6.15
Figure 6-7.	Mean Fish Response Index (FRI) by station in 2008-09 and annual mean FRI for outfall Station T1 and farfield upcoast Station T11.	6.19

	page	
Figure 6-8.	Comparison of demersal fish parameters at OCSD stations T1 and T11 in 1994, 1998, 2003, and 2008 and regional POTW and non-POTW stations from the 1994, 1998, and 2003 regional monitoring surveys. All data for mean number of species, abundance, biomass, and Shannon-Wiener diversity (H') are for summer surveys only. Error bars represent the range of values (minimum and maximum) for each station group per survey.	6.20
Figure 6-9.	Mean and 95% confidence interval for number of species, number of individuals (abundance), and biomass of epibenthic macroinvertebrates collected during the summer (July 2008) and winter (January 2009) surveys. Only one sample was collected at stations T2, T6, T10, and T14 during the summer of 2008 (see methods).	6.24
Figure 6-10.	Comparisons of the most abundant epibenthic macroinvertebrates: trilltip sea pen (<i>Acanthoptilum</i> sp.), brokenspine brittlestar (<i>Ophiura luetkenii</i>), ridgeback rock shrimp (<i>Sicyonia ingentis</i>), California blade barnacle (<i>Hamatoscalpellum californicum</i>), and yellow sea twig (<i>Thesea</i> sp.) by station group — farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14). Data are expressed as annual mean abundance (July–June) from 1985 to 2009; n=4–6 replicates/station/year.	6.25
Figure 6-11.	Comparison of epibenthic macroinvertebrate parameters by station groups: farfield downcoast (T3), farfield upcoast (T11 and T13), outfall (T1 and T12), shallow (T2 and T6), and deep (T10 and T14). All data for mean number of species, abundance, and biomass by station group are for the period 1985–2009.	6.26
Figure 6-12.	Mean and 95% confidence interval for diversity indices — Shannon-Wiener Diversity Index (H'), Margalef Species Richness (SR), and Schwartz's 75% Dominance Index of epibenthic macroinvertebrates collected during the summer (July 2008) and winter (January 2009) surveys. Only one sample was collected at stations T2, T6, T10, and T14 during the summer of 2008 (see methods).	6.28
Figure 6-13.	Comparison of epibenthic macroinvertebrate parameters at OCSD Stations T1 and T11 in 1994, 1998, 2003, and 2008 and regional POTW and non-POTW stations from the 1994, 1998, and 2003 regional monitoring surveys. All data for mean number of species, abundance, biomass, and Shannon-Wiener diversity (H') are for summer surveys only. Error bars represent the range of values (minimum and maximum) for each station group per survey.	6.29
Figure 6-14.	Mean concentrations of total DDT (ug/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) muscle tissue, English sole (<i>Parophrys vetulus</i>) muscle tissue, and Pacific sanddab (<i>Citharichthys sordidus</i>) whole body tissue for size classes 0 (5–8 cm), 1 (9–13 cm), and 2 (14–16 cm) in July 2008 at outfall (OF) versus farfield (FF) sites.	6.32
Figure 6-15.	Mean concentrations of total PCB (ug/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) muscle tissue, English sole (<i>Parophrys vetulus</i>) muscle tissue, and Pacific sanddab (<i>Citharichthys sordidus</i>) whole body tissue for size classes 0 (5–8 cm), 1 (9–13 cm), and 2 (14–16 cm) in July 2008 at outfall (OF) versus farfield (FF) sites.	6.33
Figure 6-16.	Mean concentrations of total chlorinated pesticides (ug/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) muscle tissue, English sole (<i>Parophrys vetulus</i>) muscle tissue, and Pacific sanddab (<i>Citharichthys sordidus</i>) whole body tissue for size classes 0 (5–8 cm), 1 (9–13 cm), and 2 (14–16 cm) in July 2008 at outfall (OF) versus farfield (FF) sites.	6.34
Figure 6-17.	Mean concentrations of mercury (mg/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) muscle tissue, English sole (<i>Parophrys vetulus</i>) muscle tissue, and Pacific sanddab (<i>Citharichthys sordidus</i>) whole body tissue for size classes 0 (5–8 cm), 1 (9–13 cm), and 2 (14–16 cm) in July 2008 at outfall (OF) versus farfield (FF) sites.	6.35

Appendix A – DETAILED METHODS

Figure A-1. Water quality monitoring stations and zones used for compliance determinations. A.6

Appendix B - SUPPORTING DATA

Figure B-1. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-18, July 2008–June 2009. Blue lines denote water quality sampling events. B.23

Figure B-2. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-19, July 2008–June 2009. Blue lines denote water quality sampling events. B.24

Figure B-3. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-20, July 2008–June 2009. Blue lines denote water quality sampling events. B.25

Figure B-4. Average current speed (cm/s) and direction by depth for mooring M-18, July 2008–June 2009. B.26

Figure B-5. Average current speed (cm/s) and direction by depth for mooring M-19, July 2008–June 2009. B.27

Figure B-6. Average current speed (cm/s) and direction by depth for mooring M-20, July 2008–June 2009. B.28

Figure B-7. Seasonal patterns of density (kg/m³) for Summer 2008 (August 4, 6, 7), Fall 2008 (November 3, 6, 12), Winter 2009 (February 3, 4, 25), and Spring 2009 (May 4, 7, 19). B.29

Figure B-8. Spatial distributions of group A metals (arsenic, beryllium, chromium, lead, and nickel) concentrations (mg/kg) in sediments during July 2008. B.30

Figure B-9. Spatial distributions of group B metals (cadmium, copper, selenium, and silver) concentrations (mg/kg) in sediments during July 2008. B.31

Appendix C - QUALITY ASSURANCE/ QUALITY CONTROL

Figure C-1. Quality assurance plots of distance to station for otter trawl hauls, July 2008. C.52

Figure C-2. Quality assurance plots of trawl duration and trawl depth per haul for otter trawl stations, July 2008. C.55

Figure C-3. Quality assurance plots of distance to station for otter trawl hauls, January 2009. C.58

Figure C-4. Quality assurance plots of trawl duration and trawl depth per haul for otter trawl stations, January 2009. C.61

ABBREVIATIONS AND ACRONYMS

The following is a list of abbreviations and acronyms used in the Marine Monitoring Volume. A table of metric equivalents is included to allow conversions from metric to U.S. units.

acidity/alkalinity	pH
acoustic Doppler current profiler	ADCP
aluminum	Al
ammonium	NH ₄ ⁺
analysis of variance	ANOVA
antimony	Sb
arsenic	As
accelerated solvent extractor	ASE
balanced indigenous population	BIP
base/neutral/acid	BNA
Benthic Response Index	BRI
beryllium	Be
biochemical oxygen demand	BOD
cadmium	Cd
California Department of Health Services	CDHS
catch per unit effort	CPUE
centimeter	cm
chlorophyll- <i>a</i>	Chl- <i>a</i>
chromium	Cr
Clean Water Act	CWA
conductivity/temperature/depth	CTD
copper	Cu
cubic centimeter	cm ³
cubic meter	m ³
degree Celsius	°C
differential Global Positioning System	dGPS
dissolved oxygen	DO
dry weight	dry wt
effects range low	ERL
effects range medium	ERM
Environmental Laboratory and Ocean Monitoring	ELOM
Environmental Protection Agency	EPA
Environmental Sciences Laboratory	ESL
epibenthic macroinvertebrates	EMI
Effects Range-Low	ER-L
Effects Range-Medium	ER-M
flow injection mercury system	FIMS
foot	ft
Food and Drug Administration	FDA
gallon	gal
gallons per day	gpd
gas chromatograph with dual electron capture detector	GC/ECD/ECD
gas chromatograph with tandem mass spectrometer	GC/MS/MS
gas chromatography/mass spectrometry	GC/MS
Global Positioning System	GPS
gram	g
greater than	>
greater than or equal to	≥
high-density polyethylene	HDPE
inductively coupled emission spectroscopy	ICPES
inductively coupled mass spectrometry	ICPMS
inch	in

ABBREVIATIONS AND ACRONYMS

Infaunal Trophic Index	ITI
iron	Fe
Joint Water Pollution Control Plant	JWPCP
kilogram	kg
kilometer	km
lead	Pb
less than	<
less than or equal to	≤
linear alkyl benzenes	LAB
liter	L
liters/day	L/day
magnesium sulfate	MgSO ₄
Margalef Species Richness	SR
mass emission rate	MER
mean	\bar{x}
mercury	Hg
meter	m
method detection limit	MDL
metric tons per day	MT/day
metric tons per year	MT/yr
microgram	μg
micrograms per gram	μg/g
micrograms per kilogram	μg/kg
micrograms per liter	μg/L
mile	mi
milligram	mg
milligrams per kilogram	mg/kg
milligrams per liter	mg/L
milliliter	mL
millimeter	mm
million gallons per day	MGD
most probable number	MPN
nanogram	ng
nanograms per gram	ng/g
National Marine Fisheries Service	NMFS
National Oceanic and Atmospheric Administration	NOAA
National Pollutant Discharge Elimination System	NPDES
National Research Council	NRC
National Status and Trends	NS&T
nautical mile	nmi
nickel	Ni
not analyzed	NA
not applicable	N/A
not detected	ND
not significant	ns
oil and grease	O&G
Orange County Sanitation District	District or OCSD
Orange County Health Care Agency	OCHCA
Orange County Water District	OCWD
out-of-range occurrence	ORO
parts per billion	ppb
parts per million	ppm
parts per thousand	ppt
percent	%
plus or minus	±

ABBREVIATIONS AND ACRONYMS

polychlorinated biphenyls	PCB
polycyclic aromatic hydrocarbons	PAH
pound	lb
practical salinity unit	psu
probability	p
publicly owned treatment works	POTW
quality assurance	QA
quality control	QC
Quality Assurance Project Plan	QAPP
quality assurance/quality control	QA/QC
Regional Water Quality Control Board	RWQCB
repeated measures analysis of variance	RMANOVA
relative percent difference	RPD
remaining particulates	RP
Science Applications International Corporation	SAIC
Scripps Institution of Oceanography	SIO
second	sec or s
sediment quality triad	SQT
selenium	Se
Shannon-Wiener diversity index	H'
silver	Ag
Southern California Association of Marine Invertebrate Taxonomists	SCAMIT
Southern California Bight	SCB
Southern California Bight Pilot Project	SCBPP
Southern California Coastal Water Research Project	SCCWRP
Southern California Marine Institute	SCMI
species (singular)	sp
species (plural)	spp
Species Evenness	J'
square centimeter	cm ²
square kilometer	km ²
square meter	m ²
standard operating procedure	SOP
standard reference material	SRM
Statistical Analysis System	SAS
Strategic Process Study	SPS
Student-Newman-Keuls	SNK
thallium	Tl
tons per year	tons/yr
total DDT	tDDT
total organic carbon	TOC
total polycyclic aromatic hydrocarbons	tPAH
total polychlorinated biphenyls	tPCB
total suspended solids	TSS
total volatile solids	TVS
U.S. Environmental Protection Agency	USEPA
U.S. Fish and Wildlife Service	USFWS
weight	wt
wet weight	wet wt
year	yr
zinc	Zn
zone of initial dilution	ZID

ABBREVIATIONS AND ACRONYMS

Metric System With U.S. Equivalents	
Metric Unit	U.S. Equivalent
Length	
millimeter (mm)	0.04 inches
centimeter (cm)	0.39 inches
meter (m)	39.37 inches/3.28 ft
kilometer (km)	0.62 miles, 0.54 nm
nautical mile (nm)	1.151 miles
Area	
square centimeter (cm ²)	0.155 sq. inches
square meter (m ²)	1.196 sq. yards
sq. kilometer (km ²)	0.3861 sq. miles
Weight	
milligram (mg)	0.015 grains
gram (g)	0.035 ounces
kilogram (kg)	2.2046 pounds
metric ton (MT)	1.1 tons
Volume	
cubic centimeter (cm ³)	0.061 cubic inches
cubic meter (m ³)	1.31 cubic yards
liter (L)	0.2642 gallons
Capacity, Cubic	
milliliter (mL)	0.06 cubic inches
liter (L)	61.02 cubic inches
kiloliter (kL)	1.31 cubic yards
Temperature	
°C (Centigrade)	$(9/5)(^{\circ}\text{C}) + 32 = ^{\circ}\text{F}$ (Fahrenheit)
Speed	
meters per second (m/s)	2.237 miles per hour (mph)
nautical mile per hour (knot)	1.151 miles per hour (mph)

ACKNOWLEDGEMENTS

The following individuals are acknowledged for their contributions to the Marine Monitoring Volume of the Annual Report:

Orange County Sanitation District Management:

Ed Torres Director of Technical Services
Sam Mowbray..... Environmental Services Laboratory Division
Manager
Dean Pasko Ocean Monitoring Program Supervisor

Primary Scientific Contributors:

Orange County Sanitation District:

George Robertson Project Manager, Senior Scientist, Biologist
Jeffrey L. Armstrong, Ph.D. Project Coordinator, Senior Scientist,
Biological Oceanographer
Michael Mengel Project Quality Assurance Officer (QAO),
Principal Environmental Specialist,
Biological Oceanographer
Kim Christensen Laboratory Supervisor, Chemist
Charles McGee..... Laboratory Supervisor, Microbiologist
Michael McCarthy..... Principal Environmental Specialist, Marine
Biologist
Hai Nguyen..... Senior Environmental Specialist, Data
Management, Data Analysis
Ken Sakamoto Senior Environmental Specialist, Biologist
Laura Terriquez Environmental Specialist, Marine Biologist
Christina Thomas Senior Environmental Specialist, Marine
Biologist

Production Staff:

Orange County Sanitation District:

Michael Mengel Editor, Graphics
Dionne Kardos..... Communications Specialist
Sean Chou..... Xerographic Services

Field and Laboratory Staff:

Orange County Sanitation District:

Miriam Angold, Jeff Armstrong, Ph. D., Jim Campbell, Kim Christensen, Arturo Diaz, Joel Finch, Linda Kirchner, Laura Terriquez, Joe Manzella, Mike McCarthy, Charles McGee, Lori McKinley, Ryan McMullin, Mike Mengel, Donna Min, Dawn Myers, Canh Nguyen, Hai Nguyen, Thomas Nguyen, Fred O'Brien, Kim Patton, Vanh Phonsiri, Anthony Pimental, Tony Pira, George Robertson, Ernie Ruckman, Ken Sakamoto, Christina Thomas, Yu-Li Tsai, Amy Valencia, Mike von Winkleman, and Norman Whiteman.

Osprey Marine Management

Tom Gerlinger

M/V Nerissa

Tom Pesich

Weston Solutions Inc.:

Carrie Burleson, Sally Hawkins, Sheila Holt, John Ljubenkov, Dean Pasko, Yat-Long Poon, Olga Weaver, and Satomi Yonemasu.

ORANGE COUNTY SANITATION DISTRICT

10844 Ellis Avenue
Fountain Valley, California 92708-7018
(714) 962-2411

www.ocsd.com

02/2010