

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 June 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
6/1																		8	8	
6/2																				
6/3																				
6/4																				
6/5																				
6/6																				
6/7	2	<2	<2	2	<2	<2	<2	4	<2	<2	<2	4	<2	<2	<2	<2	<2	58	<2	
6/8																		<2	<2	
6/9																				
6/10																				
6/11																				
6/12																				
6/13																				
6/14	50	30	42	4	4	8	8	8	6	4	16	10	12	30	24	8	22	16	12	
6/15																		6	4	
6/16																				
6/17																				
6/18																				
6/19																				
6/20																				
6/21	2	2	2	<2	<2	4	<2	2	<2	6	<2	4	2	16	<2	2	2	2	4	
6/22																		<2	2	
6/23																				
6/24																				
6/25																				
6/26																				
6/27																				
6/28	4	32	2	<2	2	2	<2	2	10	10	8	4	10	<2	2	2	2	6	48	
6/29																		2	12	
6/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
24	112 2		2	<2	6	2	8	<2	<2	2	4	>400	<2			6	<2	6	118
<2	<2	<2																	
<2	<2		2	8	<2	<2	<2	2	<2	<2	2	>400	<2	<2	>400	2	<2	2	>400
82	18	12																	
28	2		16	22	18	10	8	6	2	<2	14	218	<2	4	>400	2	6	<2	128
2	<2	<2																	
<2	6		6	<2	<2	<2	2	<2	<2	<2	<2	>400	<2	<2	>400	4	<2	<2	48
4	<2	<2																	
84	2		20	4	<2	4	<2	<2	<2	10	4	>400	6			10	<2	6	42

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
2	<2			<2
<2	<2			<2
2	2			2
<2	<2	<2	316	<2
4	2			<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.