

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
3/1																			
3/2																			
3/3																			
3/4																			
3/5	10	<2	16	36	<2	2	4	6	2	8	10	10	10	4	40	2	<2	2	2
3/6																		8	8
3/7																			
3/8																			
3/9																			
3/10																			
3/11																			
3/12	46	24	22	<2	2	<2	4	24	6	6	4	2	4	<2	<2	<2	<2	<2	<2
3/13																		6	4
3/14																			
3/15																			
3/16																			
3/17																			
3/18																			
3/19	4	6	2	2	6	2	10	6	<2	2	<2	<2	12	<2	6	<2	<2	<2	<2
3/20																		4	<2
3/21																			
3/22																			
3/23																			
3/24																			
3/25																			
3/26	12	14	4	<2	14	<2	4	2	8	2	4	4	<2	2	2	<2	2	<2	<2
3/27																		<2	2
3/28																			
3/29																			
3/30																			
3/31																			
4/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
2	120		>400																
20	212	12		12	10	4	10	<2	26	4	10	180	<2	<2	216	<2	<2	<2	240
<2	2		66																
<2	4	12		62	16	14	2	2	2	<2	<2	136	132			<2	<2	<2	118
<2	>400		>400																
<2	4	2		6	2	2	2	2	<2	12	36	262	214	<2	>400	4	2	10	118
6	2		4																
4	10	<2		10	4	<2	<2	2	<2	4	22	140	90	2	>400	2	2	<2	58

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
4	4	2	240	<2
<2	<2	<2	6	>400
4	24	<2	332	10
<2	<2	8	368	92

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.