

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 August 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
8/1	100	500	<17	<17	<17	17	<17	<17	17	<17	<17	17	17	<17	17	50	17	50	67
8/2																		33	17
8/3																			
8/4																			
8/5																			
8/6																			
8/7																			
8/8	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17
8/9																		<17	17
8/10																			
8/11																			
8/12																			
8/13																			
8/14																			
8/15	17	200	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	17	120
8/16																		17	83
8/17																			
8/18																			
8/19																			
8/20																			
8/21																			
8/22	15000	W20000	W20000	3400	2200	860	50	100	83	67	33	67	17	100	330	250	720	1000	840
8/23																		250	170
8/24																			
8/25																			
8/26																			
8/27																			
8/28																			
8/29	120	230	120	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	67
8/30																		<17	67
8/31																			
9/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	SAR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	<17		<17																
<17	<17	<17		33	<17	<17	17	<17	<17	<17	33	180	67			<17	<17	<17	110
<17	<17		<17																
<17	<17		<17																
<17	17	17		<17	<17	<17	<17	17	<17	17	<17	320	<17	<17	1400	<17	<17	<17	46
<17	<17																		
<17	<17		17																
<17	<17	<17		<17	<17	<17	<17	<17	<17	<17	180	7800	1200			<17	<17	<17	280
460	620		6400																
<17	67	220		<17	<17	<17	17	67	50	33	33	600	<17	<17	640	<17	<17	50	530
33	17		<17																
170	<17	17		17	<17	<17	50	<17	<17	<17	<17	280	67	<17	2000	<17	17	<17	220

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWB – Confluence With Blue

CWOB – Confluence Without Blue

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17	<17	900	<17
33	<17			<17
<17	33	<17	2300	<17
17	17	<17	700	33
<17	<17	<17	480	<17

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWB – Confluence With Blue

CWOB – Confluence Without Blue

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.