

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 March 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
3/1																			
3/2																			
3/3																			
3/4																			
3/5																			
3/6																			
3/7	17	17	<17	<17	<17	<17	<17	<17	<17			<17			<17			<17	<17
3/8																			
3/9																			
3/10																			
3/11																			
3/12																			
3/13																			
3/14	17	100	<17	<17	17	<17	<17	50	<17			<17			<17			<17	<17
3/15																			
3/16																			
3/17																			
3/18																			
3/19																			
3/20																			
3/21	<17	280	33	<17	<17	<17	17	<17	<17	270	3800	1100	17	12000	1000	33	7100	<17	50
3/22																			
3/23																			
3/24																			
3/25																			
3/26																			
3/27																			
3/28	<17	50	<17	<17	<17	<17	<17	<17	<17			17			<17			<17	<17
3/29																			
3/30																			
3/31																			
4/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	SAR-N	TM	3S	6S	9S	15S	21S	27S
								17	<17	50	600		780	520	200	230	200	250	67
		<17			<17	<17	<17	<17	<17	83	50	33							
								<17	17	67	<17		<17	<17	<17	<17	17	<17	<17
		17			<17	<17	<17	<17	83	17	17	50							
								220	120	400	4400		6500	400	17	<17	<17	17	<17
1900	4200	17	3100	6800	940	33	67	100	130	320	760								
								170	67	33	330	4500	50	1800	540	370	150	33	220
		<17			<17	<17	<17	<17	<17	<17	17	120							
								50	50	50	50		130	17	17	<17	<17	33	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
<17	<17	1300	130	<17	1100	17	<17	<17	5200	100	<17	<17	960	100
<17	<17	62	<17	17	31	<17	<17	<17	77	<17	<17	<17	31	<17
300	3800	4200	W20000	800	2500	560	2400	W20000	W40000	4200	560	1500	1200	
83	33	520	50	<17	180	17	50	33	500	33	67	<17	400	150
<17	17	92	<17	100	1600	<17	<17	<17	3200	<17	450	17	940	<17

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWB – Confluence With Blue

CWOB – Confluence Without Blue

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.