

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 April 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
4/1																			
4/2	280	400	50	<17	17	<17	<17	50	<17	33	<17	33	67	50	150	33	33	180	50
4/3																		17	50
4/4																			
4/5																			
4/6																			
4/7																			
4/8																			
4/9	67	67	33	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	33	17	<17	<17	<17
4/10																		<17	17
4/11																			
4/12																			
4/13																			
4/14																			
4/15																			
4/16	230	100	83	<17	17	17	<17	17	<17	17	17	<17	33	<17	<17	<17	<17	<17	<17
4/17																		<17	<17
4/18																			
4/19																			
4/20																			
4/21																			
4/22																			
4/23	100	1000	100	17	17	<17	<17	<17	17	<17	<17	33	<17	17	<17	33	100	<17	<17
4/24																		33	33
4/25																			
4/26																			
4/27																			
4/28																			
4/29																			
4/30	100	130	<17	<17	<17	<17	<17	<17	<17	<17	33	<17	<17	17	<17	<17	<17	<17	<17
5/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	
170	>500		>5100																	
33	>1900	100		83	50	<17	17	<17	<17	17	400	>25000	33	33	>2800	<17	<17	17	>4000	
<17	67		100																	
33	17	67		33	<17	17	<17	50	<17	67	170	5000	17			<17	<17	<17	3300	
<17	67		740																	
<17	83	17		<17	<17	<17	<17	17	<17	<17	<17	>1700	100	33	8000	<17	17	<17	1700	
<17	<17		<17																	
<17	17	<17		17	17	<17	<17	<17	17	<17	<17	>2400	600			17	<17	17	>1800	
<17	<17		>17																	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
50	17	200	>2000	17
<17	33	<17	4000	<17
<17	33	<17	3600	<17
33	83	<17	1000	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.