

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 February 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
2/1																			
2/2																			
2/3																			
2/4																			
2/5																			
2/6	>20000	CWS	CWS	>1200	>1200	>3000	>4300	>3700	>5300	>6300	>7400	>5700	>5100	>16000	>4200	>6300	>15000	>4600	>5100
2/7																			
2/8																			
2/9																			
2/10																			
2/11																			
2/12																			
2/13	460	67	33	<17	<17	<17	<17	67	<17			<17			<17			230	<17
2/14																			
2/15																			
2/16																			
2/17																			
2/18																			
2/19																			
2/20	>20000	860	100	33	17	<17	<17	17	33	33	>15000	470	350	>40000	1800	700	>16000	900	900
2/21																			
2/22																			
2/23																			
2/24																			
2/25																			
2/26																			
2/27	83	400	200	33	17	17	<17	100	<17			<17			<17			<17	17
2/28																			
2/29																			
3/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S
>4200	>12000	>6000	CWS	>40000	>7800	>7100	CWS	>14000 1800	CWS 1200	CWS 1600	CWS 2600	5700	CWS	CWS	840	380	300	330	900
		<17		<17	17	2300	330 <17	17 <17	83 100	67 200	17	1900	83	17	50	50	83	33	
720	14000	880	270	>40000	900	680	270	130 400	280 1400	180 >2500	2400 1400	800	CWS	CWS	>2900	>1100	400	>800	33
		33		17	33	<17	67 17	50 17	100 540	<17 130	<17	100	50	83	67	<17	17	<17	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
520	900	>4500	1300	370	5000	430	270	280	>6100	400	220	800	>6600	900
<17	1000	>2900	300	17	>4100	<17	33	<17	>740	17	33	33	>600	17
2300	>820	>13000	500	400	>17000	1200	800	900	CWS	>1100	1100	700	CWS	>2000
<17	500	>6600	<17	33	>4400	<17	33	<17	>1800	<17	33	17	>1700	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.