

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 January 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
1/1																				
1/2	50	380	150	67	83	83	50	50	17	100	33	83	17	33	50	17	17	<17	33	
1/3																		800	300	
1/4																				
1/5																				
1/6																				
1/7																				
1/8																				
1/9	50	<17	17	<17	17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	17	17	
1/10																		33	33	
1/11																				
1/12																				
1/13																				
1/14																				
1/15																				
1/16	17	50	<17	17	<17	<17	<17	17	<17	<17	<17	<17	17	17	17	<17	33	<17	50	
1/17																		<17	<17	
1/18																				
1/19																				
1/20																				
1/21																				
1/22																				
1/23	1300	1900	1200	83	83	330	300	280	100	300	500	400	500	700	150	350	230	200	270	
1/24																		17	50	
1/25																				
1/26																				
1/27																				
1/28																				
1/29																				
1/30	<17	120	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
1/31																				
2/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
<17	<17		50																	
350	67	500		67	<17	17	<17	<17	<17	<17	900	CWS	130	200	CWS	200	<17	120	CWS	
<17	17		33																	
17	150	200		130	33	<17	370	17	<17	50	<17	1000	17			33	<17	17	200	
33	<17		17																	
<17	17	33		17	17	33	50	17	17	<17	67	>1700	17			<17	<17	<17	930	
180	400		CWS																	
17	130	300		170	180	120	300	120	17	150	67	>4600	17	17	>2200	<17	<17	<17	>1400	
<17	17		<17																	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
>1900	180	100	CWS	>540
<17	<17	67	1300	17
33	<17	<17	>800	83
33	50	17	>4200	33

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.