

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
5/1																				
5/2																				
5/3	67	33	<17	<17	<17	17	<17	17	<17	<17	17	<17	<17	<17	<17	17	17	<17	<17	
5/4																		<17	<17	
5/5																				
5/6																				
5/7																				
5/8																				
5/9																				
5/10	33	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
5/11																		<17	<17	
5/12																				
5/13																				
5/14																				
5/15																				
5/16																				
5/17	17	>33	33	<17	<17	<17	<17	17	<17	<17	17	<17	17	17	17	<17	<17	<17	<17	
5/18																		<17	<17	
5/19																				
5/20																				
5/21																				
5/22																				
5/23																				
5/24	150	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	
5/25																			3200	<17
5/26																				
5/27																				
5/28																				
5/29																				
5/30																				
5/31	200	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
83	17	17																		
<17	<17		33	<17	<17	<17	<17	<17	<17	<17	130	>4800	220	<17	>5200	<17	<17	<17	<17	>400
<17	<17	33																		
17	<17		67	<17	<17	<17	<17	<17	<17	<17	17	>2300	<17	<17	>400	<17	<17	17	>8000	
17	<17	83																		
17	<17		>270	<17	<17	<17	<17	17	17	>17	100	>6400	<17	<17	>2200	<17	<17	<17	<17	CWS
17	<17	<17																		
<17	250		<17	<17	<17	17	<17	17	<17	17	<17	5400	17	17	6400	<17	<17	17	870	
520	50	17																		

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17			<17
<17	<17			<17
<17	<17			<17
<17	<17	17	530	17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.