

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2018

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4U	HB4	HB4D	
2/1																				
2/2																				
2/3																				
2/4																				
2/5																				
2/6	50	26	16	18	2	10	<2	<2	2	<2	2			<2	10	2			6	
2/7	22																			
2/8																				
2/9																				
2/10																				
2/11																				
2/12																				
2/13	154	6	14	10	<2	<2	2	2	<2	102	26			12	14	18			8	
2/14	92																			
2/15																				
2/16																				
2/17																				
2/18																				
2/19																				
2/20	72	4	24	12	2	2	4	2	174	68	4			14	18	24			12	
2/21	102																			
2/22																				
2/23																				
2/24																				
2/25																				
2/26																				
2/27	240	38	254	224	160	34	28	44	<2	130	166	192	>400	290	>400	132	78	>400	44	
2/28	138																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB5U	HB5	HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD
		<2	8	2 2	4 <2	14 2	14 14	44											
									8	2	4	4	<2	<2	4	<2	<2	172	<2
		2	14	<2 2	<2 2	<2 2	<2 <2	6											
									<2	<2	2	4	<2	<2	<2	<2	8	296	2
		4	4	<2 <2	<2 6	30 2	2 4	12											
									4	10	4	6	<2	<2	<2	<2	<2	64	4
94	>400	80	68	72 4	44 14	64 8	68 8	34											
									2	36	16	4	2	4	2	16	2	>400	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<2	<2	<2	98	<2	<2			<2	<2
4	4	6	396	<2	2	<2	46	<2	2
<2	<2	2	>400	2	14			<2	<2
<2	<2	2	328	<2	8			<2	4

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.