

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2019

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
3/1																				
3/2																				
3/3																				
3/4																				
3/5	62	12	2	2	2	<2	<2	8	<2	<2	4	<2	4	<2	2	2	2	2	<2	
3/6	20																	22	54	
3/7																				
3/8																				
3/9																				
3/10																				
3/11																				
3/12	76	34	14	12	<2	<2	2	4	2	2	4	6	4	100	8	2	<2	2	4	
3/13	52																	8	12	
3/14																				
3/15																				
3/16																				
3/17																				
3/18																				
3/19	68	10	6	4	<2	4	8	4	<2	2	<2	<2	<2	6	<2	34	8	58	76	
3/20	96																	22	20	
3/21																				
3/22																				
3/23																				
3/24																				
3/25																				
3/26	14	2	6	2	<2	<2	<2	<2	<2	<2	<2	6	<2	2	10	<2	<2	<2	<2	
3/27	12																	2	<2	
3/28																				
3/29																				
3/30																				
3/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<2	2	>400																	
8	74		12	14	20	6	2	4	2	8	2	110	4			<2	4		
4	2	116																	
14	54		14	58	40	28	18	22	26	22	20	220	18	6	>400	<2	2	4	48
2	64	6																	
4	2		36	<2	<2	2	2	2	2	8	4	186	<2			4	6	18	>400
4	4	2																	
<2	6		12	30	6	<2	<2	2	<2	2	4	82	24	4	>400	2	4	<2	40

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<2	6	<2	78	<2	2	>400	4
4	4	6	146	12	4	102	2
20	50	12	222	12	22	>400	
<2	80	<2	78	<2			<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.