

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 March 2020

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
3/1																				
3/2																				
3/3	67	33	<17	<17	<17	<17	<17	50	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	
3/4	280																	<17	33	
3/5																				
3/6																				
3/7																				
3/8																				
3/9																				
3/10	50	100	<17	33	17	<17	100	67	83	170	280	320	67	83	150	480	200	120	200	
3/11	CWS																	>7500	>10000	
3/12																				
3/13																				
3/14																				
3/15																				
3/16																				
3/17	900	150	50	67	83	50	130	50	50	33	50	67	50	67	<17	120	320	3000	1400	
3/18	>4100																	17	33	
3/19																				
3/20																				
3/21																				
3/22																				
3/23																				
3/24	1600	1600	1400	1600	120	33	130	67	33	17	83	67	67	100	170	33	120	83	740	
3/25	600																	33	33	
3/26																				
3/27																				
3/28																				
3/29																				
3/30																				
3/31	67	50	67	67	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	17	50	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
<17	<17	>3200																		
33	<17		17	67	33	<17	17	33	<17	<17	17	4200	<17	<17	>2300	17	<17	17	>470	
50	<17	<17																		
CWS	CWS		1800	<17	<17	17	<17	<17	<17	17	67	7200	50			50	<17	67	3800	
>5300	>7800	>7800																		
50	250		50	17	<17	50	<17	<17	<17	100	17	3800	<17			17	<17	33	900	
17	50	83																		
100	1000		500	<17	<17	17	<17	<17	33	<17	83	>2200	420			50	17	<17	1000	
17	>83	200																		

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<17	<17	170	CWS	17	<17
<17	370	50	7600	17	<17
<17	<17	33	>2500	33	<17
17	<17	50	>2000	<17	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.