

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2017

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
5/1																				
5/2	<17	17	180	<17	<17	<17	<17	<17	<17	<17	17	<17	17	<17	<17	<17	<17	<17	<17	
5/3	<17																	17	<17	
5/4																				
5/5																				
5/6																				
5/7																				
5/8																				
5/9	CWS	CWS	480	CWS	1000	500	700	100	120	17	33	<17	33	17	67	17	<17	<17	<17	
5/10	CWS																	<17	<17	
5/11																				
5/12																				
5/13																				
5/14																				
5/15																				
5/16	200	<17	150	<17	<17	<17	<17	<17	<17	<17	17	17	<17	<17	<17	<17	<17	<17	<17	
5/17	17																	<17	<17	
5/18																				
5/19																				
5/20																				
5/21																				
5/22																				
5/23	>33	>67	50	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	17	17	<17	33	<17	67	
5/24	>400																	17	50	
5/25																				
5/26																				
5/27																				
5/28																				
5/29																				
5/30	680	67	33	<17	<17	<17	<17	<17	17	<17	<17	50	<17	<17	<17	<17	<17	<17	<17	
5/31	>33																	<17	17	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
17	50	<17																	
17	<17		<17	<17	<17	<17	<17	<17	17	17	17	>24000	<17	17	<17	17	>9200	17	<17
50	<17	<17																	
50	33		33	17	<17	17	<17	<17	17	17	200	CWS	17	<17	<17	<17	8200	<17	100
<17	17	520																	
<17	33		17	<17	<17	<17	<17	<17	<17	<17	230	>8800	<17	<17	<17	<17	>6400	17	<17
<17	<17	<17																	
120	<17		83	<17	<17	<17	<17	17	<17	<17	83	>14000	67	<17	17	17	>5200	320	<17
<17	33	<17																	
50	33		17	<17	<17	<17	<17	17	<17	<17	50	8800	33	<17	<17	<17	3800	<17	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
<17	CWS	<17	<17	200	<17
17	CWS	50			<17
<17	>1400	<17			<17
<17	CWS	33			<17
		<17			<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.