

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 October 2015

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
10/1																				
10/2																				
10/3																				
10/4																				
10/5																				
10/6	700	67	50	150	17	<17	130	1100	58	3000	2400	3600	1800	3000	2100	1200	1000	460	330	
10/7	170						33	33		67				100			83	83	67	
10/8																				
10/9																				
10/10																				
10/11																				
10/12																				
10/13	83	83	17	17	<17	<17	33	100	17	<17	200	33	50	17	<17	17	83	83	50	
10/14	200						17	17		<17				17			33	130	33	
10/15																				
10/16																				
10/17																				
10/18																				
10/19																				
10/20	CWS	230	170	17	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	
10/21	>6800						<17	<17		<17				<17			<17	33	33	
10/22																				
10/23																				
10/24																				
10/25																				
10/26																				
10/27	220	370	280	<17	<17	17	83	17	17	50	33	17	33	50	33	83	100	150	120	
10/28	50						<17	<17		17				<17			33	150	380	
10/29																				
10/30																				
10/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
200	170	130		<17	17	17	<17	<17	50	<17							17		
17	<17		50	<17	<17	<17	<17	83	<17	<17	17	>4400	17			17	17	<17	2400
<17	<17	660		17	<17	<17	<17	<17	<17	33							<17		
100	<17		<17	17	67	<17	<17	33	17	17	12000	>2800	2900	50	CWS	17	<17	17	400
17	100	<17		<17	<17	<17	<17	<17	<17	17							<17		
17	33		17	<17	<17	<17	<17	<17	<17	<17	50	>400	33	<17	>6800	280	<17	<17	400
83	<17	<17		<17	<17	<17	3200	17	17	<17							<17		
150	17		<17	<17	<17	<17	<17	<17	<17	17	150	>40000	100			<17	17	17	>1200

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<17	<17	50	CWS	<17	<17
17	17			<17	17
67	17			17	17
<17	17	50	400	33	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.