

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 September 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
9/1																				
9/2	50	180	170	<17	17	<17	17	17	<17	<17	<17	<17	<17	17	<17	<17	100	17	17	
9/3	<100																	50	<17	
9/4																				
9/5																				
9/6																				
9/7																				
9/8																				
9/9	CWS	CWS	CWS	CWS	<17	150	170	4700	33	17	17	17	<17	<17	17	83	67	17	100	
9/10	>6100																	50	150	
9/11																				
9/12																				
9/13																				
9/14																				
9/15																				
9/16	330	320	120	83	<17	<17	33	17	<17	<17	<17	17	<17	<17	17	<17	<17	17	<17	
9/17	67																	<17	<17	
9/18																				
9/19																				
9/20																				
9/21																				
9/22																				
9/23	<17	50	2800	17	17	17	<17	33	17	<17	33	17	<17	<17	17	<17	<17	50	150	
9/24	33																	500	180	
9/25																				
9/26																				
9/27																				
9/28																				
9/29																				
9/30	67	67	130	50	<17	<17	17	50	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
17	<17	33																		
<17	<17		67	<17	<17	<17	<17	<17	<17	17	<17	>2800	480			<17	<17	<17	>400	
33	<17	<17																		
50	270		<17	<17	17	<17	<17	<17	<17	<17	17	6700	200	17	>17000	<17	<17	<17	>670	
<17	<17	<17																		
<17	17		<17	<17	<17	<17	<17	<17	17	17	<17	>2600	220	<17	CWS	<17	<17	<17	>400	
67	<17	150																		
200	600		100	<17	<17	<17	17	<17	<17	<17	320	5400	2000	170	CWS	170	<17	<17	>870	
33	17	120																		

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<17	<17			<17	<17
<17	220	<17	15	<17	<17
<17	<17	<17	>250	<17	<17
<17	<17			<17	<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.